



# BRITTOOL

Quality Since 1908



## Product Catalogue 2009

Sales Tel: +44 (0) 1142 917266 Sales Fax: +44 (0) 1142 917131

Sales email: [britoolcustomerservice@britool.com](mailto:britoolcustomerservice@britool.com)

[www.britool.com](http://www.britool.com)



Europa View, Sheffield Business Park, Sheffield S9 1XH.

[www.britool.com](http://www.britool.com)



# BRITTOOL

Quality Since 1908



Product Catalogue 2009



# BRITTOOL

Quality Since 1908

## BRITTOOL: A HISTORY OF EXCELLENCE

The British Tool and Engineering Company – the company which founded the Britool brand – first started production in 1908 and Britool has been the number one choice for professional engineers ever since. Demand for the company's products grew strongly between the wars and during the Second World War, Britool was the principal supplier of tools to the British armed forces, supplying over 200 million wrenches, sockets and accessories. The widespread use of Britool products during the war brought the high quality of the brand's products to the attention of a wider audience, significantly increasing market knowledge and made Britool the number one tightening tool brand in the UK.

## A FUTURE OF INNOVATION

In 1991, in order to consolidate its position as a premier brand in one of the worlds most competitive markets, Britool joined forces with Facom, Europe's largest hand tool manufacturer. The backing of such strong development facilities and vast technical expertise enabled Britool to maintain its position as the brand of choice for all areas of engineering – from aerospace to industry.

In 2006 Britool and the Facom Group merged with Stanley – the World's largest supplier of tools. Today, backed by the industrial might and expertise of Stanley, Britool maintains its own unique identity and presents a world class product offering. Britool remains one of the worlds most widely respected hand tool brands and remains the engineers' number one choice where quality and performance are essential.



## CONDITIONS OF SALE

These conditions are written mainly in plain English. In these conditions “we” means Stanley UK Sales Ltd or Stanley UK Limited, subsidiaries of Stanley UK Holding Ltd, and “you” means the person who accepts a quotation for the sale of the goods and whose order for the goods is accepted by Stanley UK Sales Ltd or Stanley UK Limited.

### CATALOGUE ITEMS

#### 1. Quotations and Orders

- a) All quotations are made and orders accepted under the following conditions. We must give written agreement to new or altered conditions. All orders accepted by us are under these conditions and not your conditions.
- b) Orders must be for boxes or cartons of items. We can vary order quantities to meet this condition.
- c) You cannot return any goods unless you have our permission.
- d) Each order will be delivered to one address. We will only deliver to your address and not a third party.
- e) Once we have processed an order you cannot cancel or change it. As we continuously improve our products we can alter specifications without telling you and in these circumstances you have no right to cancel any order to claim damages.
- f) The price we charge you for the goods is the price of them on the date we send them, not the price on the date of your order. We will add V.A.T. to our prices at the proper rate on the date we send the goods.
- g) Any goods shall be sold subject only to these terms and conditions and, for the avoidance of doubt, shall not be sold upon any sale or return basis.

#### 2. Delivery

- a) We will try to meet all delivery dates, but we are not legally liable for any delay in delivering or any losses caused by a delay. Time shall not be of the essence for delivery.
- b) Unless we agree otherwise we will deliver goods by our standard delivery service, choosing the most convenient and economical method available at the time of delivery. We will only make deliveries by other means if you ask us to and you pay.
- c) We will deliver and collect goods in normal working hours unless we have agreed otherwise. If this is inconvenient and you ask us to deliver or collect goods at a different time you will have to pay.
- d) Carriage charges are paid on all orders of a minimum nett value of £150. All orders below £150 net will be subject to a handling charge of £15.

#### 3. Risk of Loss

- a) Once the goods have been delivered to your premises you are responsible for any loss or damage caused to the goods after you have received them.
- b) You must examine the goods immediately when they are delivered and tell us about any damage to, or shortages of, cartons within two working days. If the contents of any cartons are missing or damaged you should tell us within fifteen working days of the date of the invoice. When the goods are delivered you must also write details of any visible damage to the goods on the carrier's delivery sheet.

#### 4. Accepting Goods

We will assume you have accepted the goods fifteen business days after they have been delivered unless you tell us about any complaints within that period. Also, if you, your agents, employees or licensees have used the goods, we will count this as accepting the goods.

#### 5. Guarantees

- a) We only guarantee that when we deliver the goods they will not be damaged or have any faults. We are not liable for fair wear and tear.
- b) If you think that the goods are faulty you should tell us and wait for an instruction to either return the goods to a place we tell you or keep the goods for us to inspect. If we accept that there is a fault we will either repair or replace the faulty part or parts or refund the original price of the goods.
- c) The situation described in 5(b) above shall not apply to the following:
  - 1) any goods which have been repaired or altered by somebody who isn't an employee of ours.
  - 2) goods which have been mixed with other goods or used to create other products.
  - 3) any goods which, in our opinion, have been subject to any accident or to damage or which have been improperly stored, maintained or used.
- d) We are not liable for the following:
  - 1) any direct loss or damage except the liabilities we have already mentioned.
  - 2) any indirect, consequential or incidental loss or damage of any kind (including loss of profits, revenue or contracts) or for any damage to or destruction of any property.
  - 3) injury to, or the death of, any person unless that injury or death is caused by our carelessness or that of our employees.
- e) Our only guarantees, conditions and liabilities are those given in this document.
- f) You must indemnify us against all claims, actions, costs, losses, damages or expenses caused by or in connection with the goods unless we are liable under these conditions.
- g) If we repair or replace any goods under 5(b) we will take the date that the repair is finished or the goods are replaced to be the date on which the goods were delivered.

#### 6. 'Force Majeure'

Without prejudice to any other terms of this agreement we are not liable for any act or omission or if we do not enforce, or we delay enforcing any condition in this Agreement because of any circumstances or causes beyond our control.

#### 7. Payment

- a) Payment is due within 30 days from the date of Invoice.
- b) If you delay paying for no good reason we may choose to suspend all deliveries to you until we have received all payments which are due.
- c) If you are late with any payment we can charge interest at the rates provided in the Late Payment of Commercial Debts Act 1998.
- d) If you disagree with an invoice you must tell us about this within 7 days of receiving the goods, and that if our investigation confirms that your query is justified you do not need to pay for the amounts disputed on the invoice or any interest due.

#### 8. Owning the Goods

- a) We own the goods until you have paid for them in full. If you pay by cheque, bill of exchange or a promissory note, we own the property until the same has been honoured. We may apply any payments you make to any of your invoices which we see fit.
  - b) Until you have paid for the goods you will be acting as our fiduciary agent and bailee. You must keep records of the goods and store the goods in a way that makes them clearly identifiable as being our property. These goods should be insured by you or as part of your general insurance cover. We will assume that any goods you have which we supplied belong to us (unless you can prove otherwise).
  - c) If you:
    - 1) make any arrangement with your creditors;
    - 2) go into liquidation;
    - 3) appoint a receiver to manage all or part of your assets;
    - 4) fail to make payment for the goods; or
    - 5) cannot, in our opinion pay your debts; then, we have the following rights:
      - 1) to enter any property and repossess the goods without giving you notice.
      - 2) to give you written notice that you must not sell or get rid of the goods until we have received full payment for them.
      - 3) to cancel any undelivered goods and stop any goods that are being transported to you.
  - d) At any time we may give you the ownership of the goods if we give you notice of our intention to do so. Under condition 8(c) ownership of the goods will pass to you when you sell or get rid of goods which we own immediately before you sold or got rid of them.
  - e) We may sue you for the price of the goods when the payment is due even though the ownership of the goods may not have passed to you.
9. We may impose restrictions on the reselling of goods, subject to U.K. and E.E.C. trading laws.
10. If any condition or part of condition in this Agreement is not valid or cannot be enforced this will not affect any part of the condition or Agreement.
11. If the ownership of your company changes we will automatically cancel this Agreement and negotiate a new one.
12. These conditions of sale only apply to your company and your own branch companies which carry out similar trade. They are not offered to your associate companies, either within or outside its trade unless we agreed this when we were negotiating this Agreement.
13. Governing Law

This Agreement, for all purposes, is governed and construed by the laws of England.



# 2009

<b>Toolkits &amp; Storage</b>	<b>2</b>
<b>Socketry</b>	<b>14</b>
<b>Torque Wrenches</b>	<b>30</b>
<b>Wrenches</b>	<b>35</b>
<b>Screwdrivers, Insert Bits &amp; Keys</b>	<b>45</b>
<b>Pliers</b>	<b>52</b>
<b>Striking Tools and Cutting</b>	<b>56</b>

## THE BRITool GUARANTEE


All Britool products are manufactured to the highest standards and are guaranteed against defective materials and workmanship when used for the purpose for which they are designed. In the unlikely event that a product fails in normal use, it will be replaced or repaired (for a full listing of the Britool guarantee, please see the listing on page 68).

## CONDITIONS OF SALE

Your attention is drawn to our Trading Terms and Conditions and Conditions of Sale which are printed at the back of this price list.

All registered trade marks are acknowledged. Prices do not include VAT.

# Toolkits & Storage



The Britool storage range includes boxes for all applications. All are manufactured under the strictest quality control environment to offer the highest standards of performance. We are confident that whatever model you select, it will provide a high quality storage solution. All Britool toolboxes featured in this section offer a number of common features:

## Drawer Slides

All drawers feature high specification ball bearing drawer slides – a sure sign of quality. These allow loads of up to 30kg per drawer, and give a smooth drawer action even when fully loaded.



## Rear Locking Bars

The locking mechanism activates securing bars at the rear of the drawer – making it almost impossible to force drawers open by prying.



## Fully lockable

All Britool toolboxes feature high quality locks, enabling all drawers to be secured.



## Full drawer extension

100% opening gives easy access – even to products stored at the very back of a drawer.



## Drawer liners

All Britool toolboxes featured include high density, pre-cut drawer liners.



## Manoeuvrability

All roller cabinets have heavy duty 5x2" castors. This cushions the motion of the cabinet when moved over a non smooth surface. This makes movement easier and reduces stress on the cabinet.



## Side handles

All tool chests feature cushion grip side handles. Heavy duty models feature twin handles at each end.




## Hinged Lids

All tool chest lids have a full width piano hinge – giving a smooth action with increased security.



## Twin lid stays

For safety and durability all tool chests are fitted with two lid stays. This removes unnecessary stress from both lid and hinge whilst the lid is open – significantly increasing the life of the tool chest. Heavy duty models feature twin gas struts.



## All fixings

Wheels & handles are attached using reinforced holes containing high strength precision cut threaded inserts. This simplifies the attaching or removing of components and also makes a significant contribution to units overall structural strength

All Britool toolboxes are constructed from heavy gauge steel – giving unrivaled durability



- Heavy duty construction designed for heavy use
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Heavy duty castors
- Double wall construction – for increased strength and reliability
- Drawer liners included
- Storage compartment

**3 Drawer Roller Cabinet**

Ref.	Description	Width mm	Depth mm	Height mm	List £
BRCR3	Overall Dimensions	676	460	676	£378.44
	3 Drawers	569	412	75	



- Heavy duty construction designed for heavy use
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Heavy duty castors
- Double wall construction – for increased strength and reliability
- Drawer liners included

**5 Drawer Roller Cabinet**

Ref.	Description	Width mm	Depth mm	Height mm	List £
BRCR5	Overall Dimensions	676	460	860	£420.49
	3 Drawers	569	412	75	
	2 Drawers	569	412	155	



- Heavy duty construction designed for heavy use
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Heavy duty castors
- Double wall construction – for increased strength and reliability
- Drawer liners included

**5 Drawer Roller Cabinet with Storage Compartment**

Ref.	Description	Width mm	Depth mm	Height mm	List £
BRCR6	Overall Dimensions	676	460	995	£510.59
	4 Drawers	569	412	75	
	1 Drawer	569	412	154	
	Storage Compartment	569	412	358	



- Heavy duty construction designed for heavy use
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Heavy duty castors
- Double wall construction – for increased strength and reliability
- Drawer liners included

**5 Drawer Roller Cabinet with Storage Compartment**

Ref.	Description	Width mm	Depth mm	Height mm	List £
BRCR6BL	Overall Dimensions	676	460	995	£510.59
	4 Drawers	569	412	75	
	1 Drawer	569	412	154	
	Storage Compartment	569	412	358	





- Heavy duty construction designed for heavy use
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Heavy duty castors
- Double wall construction – for increased strength and reliability
- Drawer liners included



- Heavy duty construction designed for heavy use
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Heavy duty castors
- Double wall construction – for increased strength and reliability
- Drawer liners included

## 11 Drawer Roller Cabinet

Ref.	Description	Width mm	Depth mm	Height mm	List £
BRCR11	Overall Dimensions	676	460	1105	£594.69
	4 Drawers	268	412	50	
	5 Drawers	569	412	75	
	2 Drawers	569	412	155	

## 11 Drawer Roller Cabinet

Ref.	Description	Width mm	Depth mm	Height mm	List £
BRCR11BL	Overall Dimensions	676	460	1105	£594.69
	4 Drawers	268	412	50	
	5 Drawers	569	412	75	
	2 Drawers	569	412	155	



- Heavy duty construction designed for heavy use
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Heavy duty castors
- Double wall construction – for increased strength and reliability
- Drawer liners included

## 7 Drawer Roller Cabinet

Ref.	Description	Width mm	Depth mm	Height mm	List £
BRCR7	Overall Dimensions	676	460	1105	£548.21
	5 Drawers	569	412	75	
	2 Drawers	569	412	155	



- Heavy duty construction designed for heavy use
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Heavy duty castors
- Double wall construction – for increased strength and reliability
- Drawer liners included

## 16 Drawer 41" Tool Cart

Ref.	Description	Width mm	Depth mm	Height mm	List £
BTCR16	Overall Dimensions	1067	480	1010	£1051.22
	7 Drawers	569	412	75	
	7 Drawers	308	412	75	
	1 Drawer	569	412	155	
	1 Drawer	308	412	155	



- Heavy duty construction designed for heavy use
- Gas lid struts- for ease of opening
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Double wall construction – for increased strength and reliability
- Drawer liners included

### 8 Drawer 41" Tool Chest

Ref.	Description	Width mm	Depth mm	Height mm	List £
BTBR8W	Overall Dimensions	1052	470	492	£714.83
	4 Drawers	569	412	75	
	4 Drawers	308	412	75	



- Heavy duty construction designed for heavy use
- Tote tray included
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Double wall construction – for increased strength and reliability
- Drawer liners included

### 10 Drawer Tool Chest

Ref.	Description	Width mm	Depth mm	Height mm	List £
BTBR10	Overall Dimensions	660	410	490	£420.49
	6 Drawers	169	368	50	
	1 Drawer	169	368	154	
	3 Drawers	569	272	75	



- Heavy duty construction designed for heavy use
- Tote tray included
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Double wall construction – for increased strength and reliability
- Drawer liners included

### 10 Drawer Tool Chest

Ref.	Description	Width mm	Depth mm	Height mm	List £
BTBR10BL	Overall Dimensions	660	410	490	£420.49
	6 Drawers	169	368	50	
	1 Drawers	169	368	154	
	3 Drawers	569	272	75	



- Heavy duty construction designed for heavy use
- Drop down front for complete security
- Tote tray included
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Double wall construction – for increased strength and reliability
- Drawer liners included

### 6 Drawer Tool Chest With Drop Down Front

Ref.	Description	Width mm	Depth mm	Height mm	List £
BTBRD6	Overall Dimensions	660	307	386	£246.29
	3 Drawers	169	272	50	
	2 Drawers	569	272	50	
	1 Drawer	569	272	75	



- Heavy duty construction designed for heavy use
- Drop down front for complete security
- Tote tray included
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Double wall construction – for increased strength and reliability
- Drawer liners included

## 6 Drawer Tool Chest With Drop Down Front

Ref.	Description	Width mm	Depth mm	Height mm	List £
BTBRD6BL	Overall Dimensions	660	307	386	£246.29
	3 Drawers	169	272	50	
	2 Drawers	569	272	50	
	1 Drawer	569	272	75	



- Heavy duty construction designed for heavy use
- Tote tray included
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Double wall construction – for increased strength and reliability
- Drawer liners included

## 8 Drawer Tool Chest

Ref.	Description	Width mm	Depth mm	Height mm	List £
BTBR8	Overall Dimensions	660	307	386	£276.32
	6 Drawers	169	272	50	
	2 Drawers	569	272	75	



- Heavy duty construction designed for heavy use
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Double wall construction – for increased strength and reliability
- Drawer liners included

## 8 Drawer Side Cabinet

Ref.	Description	Width mm	Depth mm	Height mm	List £
BSCR8	Overall Dimensions	377	470	860	£378.44
	7 Drawers	308	412	75	
	1 Drawers	308	412	155	



- Heavy duty construction designed for heavy use
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Double wall construction – for increased strength and reliability
- Drawer liners included

## 8 Drawer Side Cabinet

Ref.	Description	Width mm	Depth mm	Height mm	List £
BSCR8BL	Overall Dimensions	377	470	860	£378.44
	7 Drawers	308	412	75	
	1 Drawers	308	412	155	



- Powder coat finish – for improved corrosion resistance
- With internal shelf
- Easily attached to roller cabinet (min depth 458mm, min height 875mm)

**Side Cabinet**

Ref.	Description	Width mm	Depth mm	Height mm	List £
BSCR1	Overall Dimensions	375	458	860	£162.19



- Powder coat finish – for improved corrosion resistance
- With internal shelf
- Easily attached to roller cabinet (min depth 458mm, min height 875mm)

**Side Cabinet**

Ref.	Description	Width mm	Depth mm	Height mm	List £
BSCR1BL	Overall Dimensions	375	458	860	£162.19



- Heavy duty construction designed for heavy use
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Double wall construction – for increased strength and reliability
- Drawer liners included

**3 Drawer Mid Section**

Ref.	Description	Width mm	Depth mm	Height mm	List £
BMSR6	Overall Dimensions	660	315	270	£150.17
	2 Drawers	573	262	50	
	1 Drawer	573	262	75	



- Heavy duty construction designed for heavy use
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Double wall construction – for increased strength and reliability
- Drawer liners included

**3 Drawer Mid Section**

Ref.	Description	Width mm	Depth mm	Height mm	List £
BMSR6BL	Overall Dimensions	660	315	270	£150.17
	2 Drawers	573	262	50	
	1 Drawer	573	262	75	



- Heavy duty construction designed for heavy use
- Heavy duty ball bearing drawer slides
- Powder coat finish – for improved corrosion resistance
- Double wall construction – for increased strength and reliability
- Drawer liners included

## 8 Drawer Mid Section

Ref.	Description	Width mm	Depth mm	Height mm	List £
BMSR8	Overall Dimensions	1058	470	440	£618.72
	4 Drawers	569	412	75	
	4 Drawer	308	412	75	



- Powder coat finish – for improved corrosion resistance
- Easily attached to roller cabinet
- Dimensions : 430 x 90 x 90mm

## Tool And Can Holder And Can Holder


Ref.	Dimensions mm	List £
BCH1	430 x 90 x 90	£22.83



- Powder coat finish – for improved corrosion resistance
- Can be folded down when not in use

## Side Shelf

Ref.	Description	Width mm	Depth mm	List £
BSH1	Side Shelf	405	434	£30.03



## Side Shelf

Ref.	Description	Width mm	Depth mm	List £
BSH1BL	Side Shelf	405	434	£30.03



BRKIT80



### 8 Drawer Tool Chest and 76 Piece Toolkit

Ref.	Contents	List £
BRKIT80	<ul style="list-style-type: none"> <li>• 8 Drawer tool chest (BTBR8) • 60 Piece 3/8" SD metric socket set (748261) • 7 Piece metric combination wrench set (ND336T) • 16oz Ball pein hammer (BPH16) • 8 Piece Phillips &amp; slotted screwdriver set (SDRIV4)</li> </ul>	£448.55


BRKIT228



### 5 Drawer Roller Cabinet and 227 Piece Toolkit

Ref.	Contents	List £
BRKIT228	<ul style="list-style-type: none"> <li>• 5 Drawer roller cabinet with storage compartment (BRCR6) • 46 Piece 1/4" SD metric socket set (748254) • 26 Piece 1/2" SD metric socket set (748271) • Ratcheting screwdriver – with 6 piece bit set (BRSD2) • 12 piece metric ratcheting combination wrench set (RRJMSET1) • 12 Piece metric combination wrench set (ND349K) • 12" Adjustable wrench (312C) • 9 Piece ball ended metric hexagon socket set (HKMB9/C) • 16oz Ball pein hammer (BPH16) • 32oz Ball pein hammer (BPH32) • 8 Piece Phillips &amp; slotted screwdriver set (SDRIV4) • Reversed bow hacksaw (HS212), 109 Piece insert bit set (BBS109)</li> </ul>	£1078.80

BRKIT338



### 11 Drawer Roller Cabinet and 330 Piece Toolkit

Ref.	Contents	List £
BRKIT338	<ul style="list-style-type: none"> <li>• 11 Drawer roller cabinet (BRCR11) • 110 Piece 1/4" and 1/2" SD metric socket set (748291) • 60 Piece 3/8" SD metric socket set (748261) • 17 Piece metric combination wrench set (ND360E) • 12 Piece flexible ratcheting combination wrench set (RRFJMSET12) • 109 Piece insert bit set (BBS109) • Adjustable grip ratcheting screwdriver (BRSDF1) • 16 &amp; 32oz Ball pein hammers (BPH16, BPH32) • 42oz Dead blow hammer (DBH42) • 8 Piece Phillips and slotted screwdriver set (SDRIV4) • 7 Piece stubby screwdriver set (SDRIV6) • 8" and 12" Adjustable wrenches (308C, 312C)</li> </ul>	£1305.91



BRKIT314



BRKIT239

## 11 Drawer Roller Cabinet and 314 Piece Toolkit

Ref.	Contents	List £
BRKIT314	<ul style="list-style-type: none"> <li>• 11 Drawer roller cabinet (BRCR11) • 56 Piece 1/2" SD metric and AF socket set (748274) • 77 Piece 1/4" SD metric and AF socket set (748256) • 1/2" SD 600mm swivel handle (E86)</li> <li>• 17 Piece metric combination wrench set (ND360E) • 12 Piece metric flexible ratcheting combination wrench set (RRJMSET1)</li> <li>• 5 Piece metric double ended ratcheting wrench set (RRMSET5)</li> <li>• 109 Piece insert bit set (BBS109) • 3 Piece plier set (PLIER2)</li> <li>• Reversed bow hacksaw (HS212) • 8, 16 &amp; 32oz Ball pein hammers (BPH8, 16, 32) • 9 Piece ball ended metric hexagon key set (HKMB9/C) • 8 Piece slotted and Phillips screwdriver set (SDRIV4) • 7 Piece tamper proof torx screwdriver set (SDRIV5)</li> <li>• 7 Piece stubby screwdriver set (SDRIV6) • 8", 12" and 15" Adjustable wrenches (308C, 312C, 315C)</li> </ul>	£1470.57

## 3 Drawer Roller Cabinet and 237 Piece Toolkit

Ref.	Contents	List £
BRKIT239	<ul style="list-style-type: none"> <li>• 3 Drawer Roller Cabinet with storage compartment (BRCR3)</li> <li>• 60 Piece 3/8" SD metric socket set (748261) • 46 Piece 1/4" SD metric socket set (748254) • 12 Piece metric combination wrench set (ND349K) • 16oz Ball pein hammer (BPH16) • 8 Piece Phillips &amp; slotted screwdriver set (SDRIV4, Reversed bow hacksaw (HS212) • 109 Piece insert bit set (BBS109)</li> </ul>	£675.67



BRKIT447

### 11 Drawer Roller Cabinet and 447 Piece Toolkit

Ref.	Contents	List £
BRKIT447	<ul style="list-style-type: none"> <li>• 11 Drawer roller cabinet (BRCR11) • 56 Piece 1/2" SD metric and AF socket set (748274) • 88 Piece 3/8" SD metric and AF socket set (748267) • 77 Piece 1/4" SD metric and AF socket set (748256) • 1/2" SD 600mm swivel handle (E86)</li> <li>• 17 Piece metric combination wrench set (ND360E) • 10 Piece AF combination wrench set (ND243L) • 10 Piece extra long metric combination wrench set (RJXM10/S) • 12 Piece metric flexible ratcheting combination wrench set (RRF)MSET12)</li> <li>• 5 Piece metric double ended ratcheting wrench set (RRMSET5) • 109 Piece insert bit set (BBS109) • 3 Piece plier set (PLIER2)</li> <li>• Reversed bow hacksaw (HS212) • 8, 16 &amp; 32oz Ball pein hammers (BPH8, 16, 32) • 9 Piece ball ended metric hexagon key set (HKMB9/C) • 8 Piece slotted and Phillips screwdriver set (SDRIV4) • 7 Piece tamper proof torx screwdriver set (SDRIV5) • 7 Piece stubby screwdriver set (SDRIV6) • 18 Piece stubby ratcheting screwdriver set BRSDSET2) • 8", 12" and 15" Adjustable wrenches (308C, 312C, 315C) • 3 Piece screwdriver handled pry bar set (SPBSET)</li> </ul>	£1873.70





BRKIT470

BRKIT470

## 16 Drawer Tool Cart and 470 Piece Toolkit

Ref.	Contents	List £
BRKIT470	<p>• 11 Drawer roller cabinet (BTCR16) • 56 Piece 1/2" SD metric and AF socket set (748274) • 88 Piece 3/8" SD metric and AF socket set (748267) • 77 Piece 1/4" SD metric and AF socket set (748256) • 1/2" SD 600mm swivel handle (E86) • 17 Piece metric combination wrench set (ND360E) • 10 Piece AF combination wrench set (ND243L) • 10 Piece extra long metric combination wrench set (RJXM10/S) • 10 Piece metric ring wrench set (NC389N) • 10 Piece metric open jaw wrench set (S2JM10) • 12 Piece metric flexible ratcheting combination wrench set (RRJMSET1) • 5 Piece metric double ended ratcheting wrench set (RRMSET5) • 109 Piece insert bit set (BBS109) • 3 Piece plier set (PLIER2) • Reversed bow hacksaw (HS212) • 8, 16 &amp; 32oz Ball pein hammers (BPH8, 16, 32) • 9 Piece ball ended metric hexagon key set (HKMB9/C) • 8 Piece slotted and Phillips screwdriver set (SDRIV4) • 7 Piece tamper proof torx screwdriver set (SDRIV5) • 7 Piece stubby screwdriver set (SDRIV6) • 18 Piece stubby ratcheting screwdriver set BRSDSET2) • 8", 12" and 15" Adjustable wrenches (308C, 312C, 315C) • 3 Piece screwdriver handled pry bar set (SPBSET) • Lock grip pliers – 190mm curved jaw and 235mm straight jaw (PM900 &amp; PM903)</p>	£2492.59

- Pro quality utility boxes
- Strong carrying handle
- Toggle catches for security

CTB45

## Cantilever Tool Boxes

Ref.	Description	Width mm	Depth mm	Height mm	kg	List £
CTB45	Cantilever Tool Box	450	210	205	4	£29.94



# Socketry



## Specification

Britool sockets and accessories are manufactured from the highest quality materials using the latest techniques. All areas of the production process are subject to the highest quality control standards.

All Britool sockets and accessories should meet the highest performance expectations and are manufactured to the latest international standards.

Innovative features have been incorporated into product design wherever possible in order to give the greatest levels of functionality and ensure optimum performance.





## Stress Relief Drive

Britool's advanced socket profile configuration increases the contact area between the socket and the fastener, minimising stress, and reducing the chance of damage to the fastener.

The load is applied to the fastener's flat edge rather than the corners: even if the fastener is already damaged, performance will be superior to that of a standard-profile socket.


## Conventional Profile

Corner point contact gives high stress areas – highlights show contact points on the corner of the fastener



## SRD Profile

Distributed surface loads relieves possible stress area – highlights show contact points away from the corner of the fastener



## Forging Technology

Where possible, Britool products are forged from a single piece of steel, using the most appropriate technology.

The best forging solution gives the most uniform, linear grain flow—only this will give the highest levels of strength and durability.

This can be compared to the grain flow in wood—a shape with uninterrupted grain, grown into a shape, will always be stronger than one that has been cut, and liable to split across the grain.

To achieve high levels of grain flow uniformity, Britool uses several different methods dependent on the shape required—traditional drop forging, upset forging and cold forging.



**Ratchets**

In order to offer outstanding choice and ensure that the correct tool is always available, Britool offers a variety of ratchet styles and mechanisms:

**Lever Reversible Ratchet**

This extremely strong mechanism is available in 1/4", 3/8" and 1/2" drive. The 72 tooth design offers a minimum working arc of 5°. The mechanism is extremely smooth, and gives an almost negligible reverse torque—removing the risk of accidentally undoing the fastener on the reverse stroke. The twin pawl mechanism of this ratchet uses a different pawl for each direction of travel. This means that each is ideally positioned to take the greatest possible load—making it almost impossible to overload this ratchet design in normal use. Thumb lever controlled reversible action.



**Clutch Ratchet**

A highly innovative, simple, robust design, this roller bearing mechanism is available in 1/4", 3/8" and 1/2" square drive. The toothless nature of this ratchet gives a silent and smooth action with a minimum working arc of less than 1°—this is the ultimate ratchet for use where access is restricted. The design features a push through square drive to change direction.



**Swivel Head Ratchet**

This ratchet design is available in 1/4", 3/8" and 1/2" square drive. It features a 72 tooth mechanism – offering a minimum working arc of 5°. Despite its compact size, the mechanism offers extremely good load characteristics – 17 teeth are engaged during loading, giving 45% more strength than most conventional ratchets. The swivel head design offers unrivalled access.




**Flexi-Head Ratchet**

Available in 3/8" and 1/2", this high strength design features the same mechanism as the lever reversible ratchet, coupled with a long handle and a flexible head – giving great access characteristics and allowing high torque loads.



**Lock-on Quick Release Mechanism**

The lever-reversible ratchet design is also available with a quick release mechanism which locks the socket in place, making accidental loss of the socket virtually impossible.



# 1/4" Square Drive Accessories



D46

## 1/4" SD Lock-On Reversible Ratchet

Ref	Description	List £
D46	Polypropylene handle – resistant to hydrocarbons, 72 Tooth mechanism - 5° minimum working arc, Lock-On design, Thumb reversible	£32.81



## 1/4" SD Clutch Ratchet

Ref	Description	List £
D77	Polypropylene handle – resistant to hydrocarbons, Roller bearing mechanism, Push-thru reversible mechanism, Thumb reversible	£36.67



## 1/4" SD Swivel Headed Reversible Ratchet

Ref	Description	List £
DFS20	Polypropylene handle – resistant to hydrocarbons, 72 Tooth mechanism - 5° minimum working arc, Swivel head design for improved access	£28.39



## Bit Holders

Ref.	[F] Hex AF	[M] Hex AF	Length mm	List £
D1UBA	1/4"	1/4"	22	£6.93



## 1/4" SD Sliding T Handle

Ref	Description	List £
D70	Manufactured to DIN3122	£10.90



## 1/4" SD Universal Joint

Ref	Description	List £
D91	High strength design, Manufactured to DIN3123	£20.27



DSAP

## 1/4" SD Female – 3/8" SD Male Converter

Ref	Description	List £
DSAP	Used to drive 3/8" accessories using a 1/4" input, Manufactured to DIN3123	£8.15



DPAS

## 3/8" SD Female – 1/4" SD Male Converter

Ref	Description	List £
DPAS	Used to drive 1/4" accessories using a 3/8" input, Manufactured to DIN3123	£10.95



## 3 Piece 1/4" Square Drive Extension Bar Set

Ref	Description	List £
708510	3 1/4" SD Extension bars 50mm, 75mm and 150mm	£7.38

# 1/4" Square Drive Socketry



## 3 Piece 1/4" Square Drive Metric Socket Sets

Ref	Contents	List £
708275	3 1/4" SD Cold forged metric hexagon sockets 4, 4.5, 5mm	£5.62
708280	3 1/4" SD Cold forged metric hexagon sockets 5.5, 6, 7mm	£5.62
708290	3 1/4" SD Cold forged metric hexagon sockets 8, 9, 10mm	£5.62
708300	3 1/4" SD Cold forged metric hexagon sockets 11, 12, 13mm	£5.62



**13 Piece 1/4" Square Drive Metric Socket Set**

Ref	Contents	List £
708010	13 1/4" SD Cold forged metric hexagon sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm	£21.58



**9 Piece 1/4" Square Drive AF Socket Set**

Ref	ContentsList	£
708020	9 1/4" SD Cold forged AF hexagon sockets 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	£17.03



**10 Piece 1/4" Square Drive Deep Metric Socket Set**

Ref	Contents	List £
708030	10 1/4" SD Cold forged deep metric hexagon sockets 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm	£20.44



**8 Piece 1/4" Square Drive Hexagon Bit Socket Set**

Ref.	Contents	List £
708040	8 Hexagon bit sockets 2, 2.5, 3, 4, 5, 6, 7, 8mm	£13.63



**18 Piece 1/4" Square Drive Metric Socket Set**

Ref	Contents	List £
748251	• 1/4" SD Quick release ratchet • 13 1/4" SD Cold forged metric hexagon sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 2 1/4" SD Extension bars 50mm and 150mm • 1/4" SD Universal joint • 1/4" SD - 1/4" Hexagon drive bit holder	£36.34



**27 Piece 1/4" Square Drive Metric and AF Socket Set**

Ref	ContentsList	£
748252	1/4" SD Quick release ratchet • 13 1/4" SD Cold forged metric hexagon sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 9 1/4" SD Cold forged AF hexagon sockets • 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2", 2 1/4" SD Extension bars 50mm and 150mm • 1/4" SD Universal joint • 1/4" SD - 1/4" Hexagon drive bit holder	£55.64

# 1/4" Square Drive Socket Sets



## 46 Piece 1/4" Square Drive Metric Socket Set

Ref	Contents	List £
748254	<ul style="list-style-type: none"> <li>• Quick release ratchet • 2 Extension Bars 50&amp;100mm</li> <li>• Flexible Extension 150mm • Spinner Handle • Sliding T Handle • Universal joint • 1/4" Hex-1/4" Square Adapter</li> <li>• 4 Hexagon Keys 1.3, 1.5, 2, 2.5mm • 13 Metric Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 6 Torx Bit Sockets T10, 15, 20, 25, 30, 40 • 6 Hexagon Bit Sockets 3, 4, 5, 6, 7, 8mm • 3 Slotted Screwdriver Bits 4, 5.5, 7mm • 3 Pozidriv Bit Sockets PZ1, 2, 3 • 3 Phillips Bit Sockets, PH1, 2, 3</li> </ul>	£62.46

## 58 Piece 1/4" Square Drive Metric Socket Set

Ref	Contents	List £
748255	<ul style="list-style-type: none"> <li>• 1/4" SD Quick release ratchet • 13 1/4" SD Cold forged metric hexagon sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 10 1/4" SD Cold forged deep metric hexagon sockets 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 1/4" SD Wobble extension bar 50mm • 2 1/4" SD Extension bars 100mm and 150mm</li> <li>• 1/4" SD Flexible extension bar 150mm • 1/4" SD Sliding T handle • 1/4" SD Universal joint • 1/4" SD - 1/4" Hexagon drive bit holder • 1/4" SD Female - 3/8" SD Male drive adapter</li> <li>• 1/4" Hexagon drive ratcheting screwdriver • 4 1/4" Hexagon drive slotted screwdriver bits 4, 4.5, 6.5, 8mm • 3 1/4" Hexagon drive Phillips® screwdriver bits Ph1, 2, 3 • 3 1/4" Hexagon drive Pozidriv® screwdriver bits Pz1, 2, 3 • 6 1/4" Hexagon drive tamper proof Torx® screwdriver bits T10, 15, 20, 25, 30, 40</li> <li>• 5 1/4" Hexagon drive metric hexagon screwdriver bits 2, 3, 4, 5, 6mm • 3 1/4" Hexagon drive AF hexagon screwdriver bits 1/8, 3/16, 1/4"</li> </ul>	£73.81

## 77 Piece 1/4" Square Drive Metric, AF and Torx Socket Set

Ref	Contents	List £
748256	<ul style="list-style-type: none"> <li>• 1/4" SD Quick release ratchet • 13 1/4" SD Cold forged metric hexagon sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 10 1/4" SD Cold forged deep metric hexagon sockets 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 9 1/4" SD Cold forged AF hexagon sockets 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2" • 5 1/4" SD Cold forged deep AF hexagon sockets 3/16, 1/4, 5/16, 3/8, 1/2" • 6 1/4" SD Female Torx® sockets T4, 5, 6, 7, 8, 10 • 1/4" SD Wobble extension bar 50mm • 2 1/4" SD Extension bars 100mm and 150mm • 1/4" SD Flexible extension bar 150mm • 1/4" SD Sliding T handle • 1/4" SD Universal joint • 1/4" SD - 1/4" Hexagon drive bit holder</li> <li>• 1/4" SD Female - 3/8" SD Male drive adapter • 1/4" Hexagon drive ratcheting screwdriver • 4 1/4" Hexagon drive slotted screwdriver bits 4, 4.5, 6.5, 8mm • 3 1/4" Hexagon drive Phillips® screwdriver bits Ph1, 2, 3 • 3 1/4" Hexagon drive Pozidriv® screwdriver bits Pz1, 2, 3 • 6 1/4" Hexagon drive tamper proof Torx® screwdriver bits T10, 15, 20, 25, 30, 40</li> <li>• 5 1/4" Hexagon drive metric hexagon screwdriver bits 2, 3, 4, 5, 6mm • 3 1/4" Hexagon drive AF hexagon screwdriver bits 1/8, 3/16, 1/4"</li> </ul>	£90.85





3/8" Square Drive Ratchets

Ref	Description	List £
A45	Polypropylene handle – resistant to hydrocarbons, 72 Tooth mechanism- 5° minimum working arc, Thumb reversible	£38.53
A46	Polypropylene handle – resistant to hydrocarbons, 72 Tooth mechanism- 5° minimum working arc, Lock-On design, Thumb reversible	£47.84



3/8" SD Clutch Ratchet

Ref	Description	List £
A77	Polypropylene handle – resistant to hydrocarbons, Roller bearing mechanism, Push-thru reversible mechanism, Thumb reversible	£43.00




3/8" Square Drive Flexible Headed Ratchet

Ref	Description	List £
AF45	72 Tooth high strength twin pawl mechanism, Polypropylene handle – resistant to hydrocarbons, Flexible head for increased access	£41.96



3/8" SD Swivel Headed Reversible Ratchet

Ref	Description	List £
AFS20	Polypropylene handle – resistant to hydrocarbons, 72 Tooth mechanism - 5° minimum working arc, Swivel head design for improved access	£38.61



3/8" SD Sliding T Handle

Ref	Description	List £
A70	Manufactured to DIN3122	£12.92



3/8" SD Universal Joint

Ref	Description	List £
A91	High strength design, Manufactured to DIN3123	£20.89



3/8" SD Female – 1/2" SD Male Converter

Ref	Description	List £
ASEP	Used to drive 1/2" accessories using a 3/8" input, Manufactured to DIN3123	£8.23



1/2" SD Female – 3/8" SD Male Converter

Ref	Description	List £
APES	Used to drive 3/8" accessories using a 1/2" input, Manufactured to DIN3123	£8.09



3/8" SD Socket Clips

Ref	Description	List £
CLIPA/2	Plastic clips to be used with rail PR250 or PR450 (See page 24)	£0.23



3 Piece 3/8" Square Drive Extension Bar Set

Ref	Description	List £
708520	3 3/8" SD Extension bars 75mm, 150mm and 250mm	£9.65

Bit Holders

Ref.	[F] Hex AF	[M] Hex AF	Length mm	List £
AIUBA	3/8"	1/4"	28	£7.45



# 3/8" Square Drive Socket Sets



## 3 Piece 3/8" Square Drive Socket Sets

Ref	Contents	List £
708310	3 3/8" SD Cold forged metric hexagon sockets 6, 7, 8mm	£6.76
708320	3 3/8" SD Cold forged metric hexagon sockets 9, 10, 11mm	£6.76
708330	3 3/8" SD Cold forged metric hexagon sockets 12, 13, 14mm	£6.76
708340	3 3/8" SD Cold forged metric hexagon sockets 15, 16, 17mm	£6.76
708350	3 3/8" SD Cold forged metric hexagon sockets 18, 19, 21mm	£6.76



## 14 Piece 3/8" Square Drive Metric Socket Set

Ref	Contents	List £
708110	14 3/8" SD Cold forged metric hexagon sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	£22.71




## 13 Piece 3/8" Square Drive AF Socket Set

Ref	Contents	List £
708120	13 3/8" SD Cold forged AF hexagon sockets 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1"	£21.58



## 15 Piece 3/8" Square Drive Deep Metric Socket Set

Ref	Contents	List £
748262	15 3/8" SD Cold forged deep metric hexagon sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm	£36.34



## 7 Piece 3/8" Square Drive Metric Ball Ended Bit Socket Set

Ref.	Contents	List £
708130	7 Ball ended hexagon metric bit sockets 3, 4, 5, 6, 7, 8, 10mm	£26.12



## 24 Piece 3/8" Square Drive Metric Socket Set

Ref	Contents	List £
748263	• 3/8" SD Quick release ratchet • 19 3/8" SD Cold forged metric hexagon sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm • 2 3/8" SD Extension bars 75mm and 125mm • 3/8" SD Universal joint • 3/8" SD - 1/4" Hexagon drive bit holder	£62.46



## 8 Piece 3/8" Square Drive Flexible Metric Socket Set

Ref.	Contents	List £
708140	8 Flexible sockets 10, 11, 12, 13, 14, 15, 17, 19mm	£31.23



**18 Piece 3/8" Square Drive AF Socket Set**

Ref	Contents	List £
748264	<ul style="list-style-type: none"> <li>• 3/8" SD Quick release ratchet • 13 3/8" SD Cold forged AF hexagon sockets 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1" • 3/8" SD Wobble extension bar 75mm • 3/8" SD Extension bar 150mm • 3/8" SD Universal joint • 3/8" SD - 1/4" Hexagon drive bit holder</li> </ul>	£51.10




**60 Piece 3/8" Square Drive Metric Socket Set**

Ref	Contents	List £
748261	<ul style="list-style-type: none"> <li>• Quick release ratchet • 18 Cold forged metric hexagon sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm • 10 Deep, cold forged metric hexagon sockets 8, 9, 10, 11, 12, 13, 14, 15, 17, 19mm • 75mm Extension bar • 250mm Extension bar / Sliding T handle • Universal joint • 2 Spark plug sockets 16, 21mm • 7 Hexagon bit sockets 3, 4, 5, 6, 7, 8, 10mm • 3 Slotted bit sockets 5.5, 7, 8mm • 9 Tamper proof torx bit sockets • 3 Pozidriv® bit sockets PZ1, 2, 3 • 3 Phillips® bit sockets PH1, 2, 3</li> </ul>	£113.50

**88 Piece 3/8" Square Drive Metric, AF & Torx Socket Set**

Ref	Contents	List £
748267	<ul style="list-style-type: none"> <li>• 3/8" SD Quick release ratchet • 19 3/8" SD Cold forged metric hexagon sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm • 11 3/8" SD Cold forged deep metric hexagon sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19mm</li> <li>• 13 3/8" SD Cold forged AF hexagon sockets 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1" • 7 3/8" SD Cold forged deep AF hexagon sockets 5/16, 3/8, 7/16, 1/2, 9/16, 11/16, 3/4" • 5 3/8" SD Female Torx® sockets T8, 10, 12, 14, 16</li> <li>• 3/8" SD Wobble extension bar 75mm • 2 3/8" SD Extension bars 150mm and 250mm • 3/8" SD Sliding T handle • 3/8" SD Universal joint • 3/8" SD - 1/4" Hexagon drive bit holder</li> <li>• 3/8" SD Female - 1/4" SD Male drive adapter • 3/8" SD Female - 1/2" SD Male drive adapter • 4 1/4" Hexagon drive slotted screwdriver bits 4, 4.5, 6.5, 8mm • 3 1/4" Hexagon drive Phillips screwdriver bits Ph1, 2, 3 • 3 1/4" Hexagon drive Pozidriv screwdriver bits Pz1, 2, 3 • 6 1/4" Hexagon drive tamper proof Torx screwdriver bits T10, 15, 20, 25, 30, 40</li> <li>• 5 1/4" Hexagon drive metric hexagon screwdriver bits 2, 3, 4, 5, 6mm • 3 1/4" Hexagon drive AF hexagon screwdriver bits 1/8, 3/16, 1/4"</li> </ul>	£130.59



# 1/2" Square Drive Socketry



## 1/2" Square Drive Ratchet

Ref	Description	List £
E74	Polypropylene handle – resistant to hydrocarbons, 72 Tooth mechanism- 5° minimum working arc, Thumb reversible	£42.89



## 1/2" Square Drive Lock-On Ratchet

Ref	Description	List £
E75	Polypropylene handle – resistant to hydrocarbons, 72 Tooth mechanism- 5° minimum working arc, Lock-On design, Thumb reversible	£52.15



## 1/2" SD Clutch Ratchet

Ref	Description	List £
E77	Polypropylene handle – resistant to hydrocarbons, Roller bearing mechanism, Push-thru reversible mechanism, Thumb reversible	£49.47



## 1/2" Square Drive Flexi Head Ratchet

Ref	Description	List £
EF74	72 Tooth high strength twin pawl mechanism, Polypropylene handle – resistant to hydrocarbons, Flexible head for increased access	£59.15



## 1/2" SD Swivel Headed Reversible Ratchet

Ref	Description	List £
EFS20	Polypropylene handle – resistant to hydrocarbons, 72 Tooth mechanism - 5° minimum working arc, Swivel head design for improved access	£43.15



## 1/2" SD 600mm Swivel Handle

Ref	Description	List £
E85	Polypropylene handle – resistant to hydrocarbons, 460mm long for exceptional leverage	£35.26
E86	Polypropylene handle – resistant to hydrocarbons, 600mm long for exceptional leverage	£44.81



## 1/2" SD Sliding T Handle

Ref	Description	List £
E70	Manufactured to DIN3122	£17.69




## 1/2" SD Universal Joint

Ref	Description	List £
E91	High strength design, Manufactured to DIN3123	£21.94



## 1/2" SD Female – 3/4" SD Male Converter

Ref	Description	List £
ESHF	Used to drive 3/4" accessories using a 1/2" input, Manufactured to DIN3123	£12.04



## 3/4" SD Female – 1/2" SD Male Converter

Ref	Description	List £
EPHS	Used to drive 1/2" accessories using a 3/4" input, Manufactured to DIN3123	£16.39



## 1/2" SD Socket Clips

Ref	Description	List £
CLIFE/2	Plastic clips to be used with rail PR250 or PR450	£0.23



## Socket Rails

Ref	Description	List £
PR250	Socket Rail 250mm - For use with CLIPA/2 or CLIFE/2 (See page 20 & 24)	£1.36
PR450	Socket Rail 450mm - For use with CLIPA/2 or CLIFE/2 (See page 20 & 24)	£5.68



**3 Piece 1/2" Square Drive Extension Bar Set**

Ref	Contents	List £
708530	3 1/2" SD Extension bars 75mm, 125mm and 250mm	£12.49



**3 Piece 1/2" Square Drive Sets**

Ref	Description	Contents	List £
708360	3 Piece 1/2" Square Drive Metric Socket Set	3 1/2" SD Cold forged metric hexagon sockets 10, 11, 12mm	£7.89
708370	3 Piece 1/2" Square Drive Metric Socket Set	3 1/2" SD Cold forged metric hexagon sockets 13, 14, 15mm	£7.89
708380	3 Piece 1/2" Square Drive Metric Socket Set	3 1/2" SD Cold forged metric hexagon sockets 16, 17, 18mm	£7.89
708390	3 Piece 1/2" Square Drive Metric Socket Set	3 1/2" SD Cold forged metric hexagon sockets 19, 21, 24mm	£8.46
708400	3 Piece 1/2" Square Drive Metric Socket Set	3 1/2" SD Cold forged metric hexagon sockets 27, 30, 32mm	£11.30



**10 Piece 1/2" Square Drive Metric Socket Set**

Ref	Contents	List £
708260	10 1/2" SD Cold forged metric hexagon sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	£21.58



**16 Piece 1/2" Square Drive Metric Socket Set**

Ref	Contents	List £
708220	25 1/2" SD Cold forged metric hexagon sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm	£39.75



**15 Piece 1/2" Square Drive AF Socket Set**

Ref	Contents	List £
708230	15 1/2" SD Cold forged AF hexagon sockets 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1 1/16, 1 1/8, 1 3/16, 1 1/4"	£39.75



**6 Piece 1/2" Square Drive Whitworth Socket Set**

Ref	Contents	List £
708270	6 1/2" SD Whitworth sockets 3/16, 1/4, 5/16, 3/8, 7/16, 1/2WW	£23.85



# 1/2" Square Drive Socket Sets



## 7 Piece 1/2" Square Drive Hexagon Bit Socket Set

Ref.	Contents	List £
708240	7 Hexagon bit sockets 6, 7, 8, 10, 12, 14, 17mm	£24.98



## 14 Piece 1/2" Square Drive Deep Metric Socket Set

Ref	Contents	List £
748275	14 1/2" SD Cold forged metric deep hexagon sockets 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm	£51.10



## 12 Piece 1/2" Square Drive Metric Bit Socket Set

Ref.	Contents	List £
748276	<ul style="list-style-type: none"> <li>• 6 Metric bit sockets 4, 5, 6, 8, 10, 12mm</li> <li>• 6 Long reach metric bit sockets 4, 5, 6, 8, 10, 12mm</li> </ul>	£32.93



## 16 Piece 1/2" Square Drive Torx® Socket Set

Ref.	Contents	List £
748277	<ul style="list-style-type: none"> <li>• 9 Torx® bit sockets T20, 25, 27, 30, 40, 45, 50, 55, 60</li> <li>• 7 Torx sockets E10, 12, 14, 16, 18, 20, 24</li> </ul>	£31.80



Socket stand  
Ref. SOCKETSTAND



**26 Piece 1/2" Square Drive Metric Socket Set**

Ref	Contents	List £
748271	<ul style="list-style-type: none"> <li>• Ratchet • 3 Extension Bars 75, 125 &amp; 250mm • Universal Joint • Sliding T Adapter • 2 Spark Plug Sockets 16 &amp; 21mm • 18 Metric Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm</li> </ul>	£102.14

**23 Piece 1/2" Square Drive AF Socket Set**

Ref	Contents	List £
748273	<ul style="list-style-type: none"> <li>• 1/2" SD Quick release ratchet • 17 1/2" SD Cold forged AF hexagon sockets 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 21/32, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1 1/16, 1 1/8, 1 3/16, 1 1/4" • 1/2" SD Wobble extension bar 75mm • 2 1/2" SD Extension bars 150mm and 250mm • 1/2" SD Sliding T handle • 1/2" SD Universal joint</li> </ul>	£101.07



**44 Piece 1/2" Square Drive Metric Socket Set**

Ref	Contents	List £
748272	<ul style="list-style-type: none"> <li>• 1/2" SD Quick release ratchet • 25 1/2" SD Cold forged metric hexagon sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 34mm • 11 1/2" SD Cold forged deep metric hexagon sockets 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm • 1/2" SD Wobble extension bar 75mm • 2 1/2" SD Extension bars 125mm and 250mm • 1/2" SD Sliding T handle • 1/2" SD Universal joint • 1/2" SD Female - 3/8" SD Male drive adapter • 3/8" SD Female - 1/2" SD Male drive adapter</li> </ul>	£124.91

**56 Piece 1/2" Square Drive Metric, AF & Torx Socket Set**

Ref	Contents	List £
748274	<ul style="list-style-type: none"> <li>• 1/2" SD Quick release ratchet • 25 1/2" SD Cold forged metric hexagon sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 34mm • 15 1/2" SD Cold forged AF hexagon sockets 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1 1/16, 1 1/8, 1 3/16, 1 1/4" • 8 1/2" SD Cold forged Torx® sockets T10, 11, 12, 14, 16, 18, 20, 24 • 1/2" SD Wobble extension bar 75mm • 2 1/2" SD Extension bars 125mm and 250mm • 1/2" SD Sliding T handle • 1/2" SD Universal joint • 1/2" SD Female - 3/8" SD Male drive adapter • 3/8" SD Female - 1/2" SD Male drive adapter</li> </ul>	£136.27



## 5 Piece 1/4" and 3/8" Square Drive Extension Bar Set

Ref	Description	List £
708540	<ul style="list-style-type: none"> <li>• 2 1/4" SD Extension bars 50mm and 100mm</li> <li>• 3 3/8" SD Extension bars 75mm, 150mm and 250mm</li> </ul>	£14.19



## 5 Piece 1/4" and 3/8" Square Drive Wobble Extension Bar Set

Ref.	Description	List £
708550	<ul style="list-style-type: none"> <li>• 2 Wobble Extension bars 50mm and 100mm</li> <li>• 3 Wobble Extension bars 75mm, 150mm and 250mm</li> </ul>	£15.90



## 13 Piece 1/4", 3/8" and 1/2" Square Drive Female Torx® Socket Set

Ref	Description	List £
708430	<ul style="list-style-type: none"> <li>• 5 1/4" SD Female Torx® sockets E4, 5, 6, 7, 8</li> <li>• 4 3/8" SD Female Torx® sockets E10, 12, 14, 16</li> <li>• 4 1/2" SD Female Torx® sockets E18, 20, 22, 24</li> </ul>	£24.98

## 71 Piece 1/4" and 3/8" Square Drive Metric Socket Set

Ref	Description	List £
748293	<ul style="list-style-type: none"> <li>• 1/4" SD Quick release ratchet</li> <li>• 13 1/4" SD Cold forged metric hexagon sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm</li> <li>• 9 1/4" SD Cold forged deep metric hexagon sockets 5, 6, 7, 8, 9, 10, 11, 12, 13mm</li> <li>• 5 1/4" SD Female Torx® sockets T4, 5, 6, 7, 8</li> <li>• 2 1/4" SD Extension bars 50mm and 150mm</li> <li>• 1/4" SD Sliding T handle</li> <li>• 1/4" SD Universal joint</li> <li>• 1/4" SD – 1/4" Hexagon drive bit holder</li> <li>• 3/8" SD Quick release ratchet</li> <li>• 19 3/8" SD Cold forged metric hexagon sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm</li> <li>• 8 3/8" SD Cold forged deep metric hexagon sockets 13, 14, 15, 16, 17, 18, 19, 22mm</li> <li>• 4 3/8" SD Female Torx® sockets T10, 12, 14, 16</li> <li>• 3 3/8" SD Extension bars 75, 125mm and 250mm</li> <li>• 3/8" SD Sliding T handle</li> <li>• 3/8" SD Universal joint</li> <li>• 3/8" SD – 1/4" Hexagon drive bit holder</li> </ul>	£124.91



## 14 Piece 1/4" and 3/8" Square Drive Torx® Bit Socket Set

Ref	Description	List £
708410	<ul style="list-style-type: none"> <li>• 10 1/4" SD Torx® bit sockets T6, 7, 8, 9, 10, 15, 20, 25, 27, 30</li> <li>• 4 3/8" SD Torx® bit sockets T40, 45, 50, 55</li> </ul>	£32.93



## 9 Piece 1/4" and 3/8" Square Drive Hexagon Insert Bit Socket Set

Ref	Description	List £
708420	<ul style="list-style-type: none"> <li>• 4 1/4" SD Hexagon bit sockets 3, 4, 5, 6mm</li> <li>• 5 3/8" SD Hexagon bit sockets 7, 8, 9, 10, 12mm</li> </ul>	£23.85



110 Piece 1/2" and 1/4" Square Drive Metric Socket Set

Ref	Description	List £
748291	<p>1/2" Square Drive</p> <ul style="list-style-type: none"> <li>• Quick release ratchet • 17 Cold forged metric hexagon sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 24, 27, 30, 32mm • 5 Deep, cold forged metric hexagon sockets 14, 15, 17, 19, 22mm • 8 Female Torx® sockets T10, 11, 12, 14, 16, 18, 20, 24 • 125mm Extension bar • 250mm Extension bar / Sliding T handle • Universal joint • 2 Spark plug sockets 16, 21mm • 5/16" Hexagon Bit Holder</li> </ul> <p>1/4" Square Drive</p> <ul style="list-style-type: none"> <li>• Quick release ratchet • 13 Cold forged metric hexagon sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 8 Deep, cold forged metric hexagon sockets 6, 7, 8, 9, 10, 11, 12, 13mm • 5 Female Torx® sockets T4, 5, 6, 7, 8 • 50mm Extension bar • 100mm Extension bar • Sliding T handle • Universal joint • Spinner handle • 7 Torx® bit sockets T8, 10, 15, 20, 25, 27, 30 • 3 Slotted screwdriver bits 4, 5.5, 6.5mm • 4 Hexagon bit sockets 3, 4, 5, 6mm • 2 Pozidriv® bit sockets PZ 1, 2 • 2 Phillips® bit sockets PH 1, 2 • 4 Hexagon Keys 1.27, 1.5, 2, 2.5mm • Hexagon Insert Bits • 5 Torx® insert bits T40, 45, 50, 55, 60 • 2 Phillips® insert bits PH3, 4 • 2 Pozidriv® insert bits PZ3, 4 • 7 Torx® bit sockets T8, 10, 15, 20, 25, 27, 30 • 3 Slotted insert bits 8, 10, 12mm • 5 Hexagon insert bits 7, 8, 10, 12, 14mm • 1/4" Hexagon / 1/4" SD adapter</li> </ul>	£157.84



3/4" Square Drive Socketry



3/4" Square Drive Ratchet

Ref	Description	List £
H74	Lever reversible	£158.04



3/4" Square Drive Sliding T Handle

Ref	Description	List £
H70	Manufactured to DIN3122	£41.33



21 Piece 3/4" Square Drive Metric Socket Set

Ref	Description	List £
748289	<ul style="list-style-type: none"> <li>• Ratchet • 3 Extension Bars 75, 125 &amp; 250mm • Sliding T Handle • 16 Metric Hexagon Sockets 19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50mm</li> </ul>	£261.18



## Specification

Designed to exacting standards and manufactured from the highest quality alloy steel, Britool impact sockets are heat treated to ensure that they conform to the highest standards of reliability and durability.

Britool impact sockets are suitable for use with all air and power tools.

All Britool impact sockets incorporate Stress Relief Drive, increasing the maximum applicable torque and reducing fastener damage.

Manufactured to ISO 1174-2

### WARNING!

Do not use chrome finished sockets on impact and power tools.



### 9 Piece 3/8" Square Drive Metric Impact Socket Set

Ref	Description	List £
758200	9 3/8" SD Cold forged metric hexagon impact sockets 8, 9, 10, 11, 12, 13, 14, 17, 19mm	£21.58



### 17 Piece 1/2" Square Drive Metric Impact Socket Set

Ref	Description	List £
758300	<ul style="list-style-type: none"> <li>• 16 1/2" SD Cold forged metric hexagon impact sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm</li> <li>• 125mm Impact extension bar • Locking pins and rings</li> </ul>	£67.00



### 14 Piece 1/2" Square Drive Deep Metric Impact Socket Set

Ref	Description	List £
758500	<ul style="list-style-type: none"> <li>• 14 1/2" SD Cold forged deep metric hexagon impact sockets 10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24, 27, 30, 32mm</li> <li>• Locking pins and rings</li> </ul>	£78.35

# Torque Wrenches



The torque wrench is an essential hand tool that is now fundamental in all garages and workshops.

The Britool torque wrench range has been carefully designed to provide a range of solutions to meet the needs of the torque-tightening user.

## What is Torque ?

- Torque is a turning or twisting force, the result of a force applied at a given distance about a known centre
- It is recorded in units of force x distance

**i.e. Nm = Newtons (force) x metres (distance) or**

**lbf/ft = lbf (force) x feet (distance) (1 Newton = 1kg m/s<sup>2</sup>)**



## Classic Mechanical Torque Wrenches

The Britool Classic torque wrench has won a reputation for reliability and quality established over 50 years. The unique mechanism has distinct advantages which ensure it remains a firm favourite with users worldwide.

## Unique 3-phase Mechanism

A progressive torque build-up to the selected setting is easily detected by three clear signals:

- 1 **SIGHT** see the mechanism progressively move towards the point of break as the load is applied
- 2 **TOUCH** feel the point of torque
- 3 **SOUND** unmistakable **CLICK**  
This makes it ideal for use in noisy environments



### ACCESSIBILITY

Compact design ideal for restricted access

### DURABILITY

Proven to be one of the most robust products in the market, the first choice for arduous conditions

### ACCURACY

Exceeds requirements of ISO 6789

### SCALE

Multiple scales – Nm, kg.m, lbf.in and lbf.ft are branded into steel tube, giving readability for the life of the product

### FLEXIBILITY

Push-through square drive for left and right hand operation

### SETTING


Retractable adjuster knob cannot be altered by accident

### SERVICE

Fully repairable with dedicated service kits

## Classic Mechanical Torque Wrench – Non-Length Dependant

Unlike most other torque wrenches, the mechanism pivots around the square drive. This gives the major advantage in that the torque wrench is not length dependant. As a result there is no variation to the application of the preset torque value, no matter where the handle is grasped.




Classic Torque Wrench Ranges

Ref.	Square drive	N.m																
		2.5	5	10	20	33	50	70	100	135	200	225	300	330	480	720	940	
AVT100A	3/8																	
AVT300A																		
AVT600																		
EVT600A	1/2																	
EVT1200A																		
EVT2000A																		
EVT3000A																		
HVT5000	3/4																	
HVT7200																		
GVT8400	1																	

Scale Divisions

Series	N.m	Kg.m	lbf.in	lbf.ft
100	0.5	0.1	10.0	1.0
300	1.0	0.1	10.0	1.0
600	2.0	0.2	20.0	2.0
1200	5.0	1.0	50.0	2.0
2000	5.0	1.0	50.0	2.0
3000	10.0	1.0	100.0	10.0
5000	10.0	-	100.0	10.0
8400	10.0	-	-	10.0



GVT8400

HVT7200

HVT5000



How To Read The Britool Torque Wrench Code

Square drive size inches	Regular type	Torque Wrench	Maximum lbf.in	Scale type
<b>E</b>	<b>V</b>	<b>T</b>	<b>3000</b>	<b>A</b>
Aero 3/8 Engineers 1/2 Heavy 3/4 Giant 1	Variable (regular, adjustable type)			A denotes a production change to the latest model

The example code in the blue band is for a 1/2" variable torque wrench, maximum 3000 lbf.in

Torque Measurement Conversion Chart

TO CONVERT FROM	TO CONVERT TO								
	mN.m millinewton-metre	cN.m centinewton-metre	N.m newton-metre	daN.m decanewton-metre	cm.kg centimetre-kg	m.kg metre-kg	in.oz inch-ounce	in.lb inch-pound	ft.lb foot-pound
1mN.m	1	0.1	0.001	0.0001	0.0102	0.000102	0.1418	0.00886	0.000738
1cN.m	10	1	0.01	0.001	0.102	0.00102	1.418	0.0886	0.00738
1N.m	1000	100	1	0.1	10.2	0.102	141.8	8.863	0.738
1daN.m	10000	1000	10	1	102	1.02	1418	88.63	7.38
1cm.kg	98	9.8	0.098	0.0098	1	0.01	13.9	0.869	0.0724
1m.kg	9810	981	9.81	0.98	100	1	1390	86.90	7.24
1in.oz	7.05	0.705	0.00705	0.0007	0.072	0.0072	1	0.063	0.0052
1in.lb	112.8	11.28	0.1128	0.01128	1.152	0.0115	16	1	0.083
1ft.lb	1350	135	1.35	0.135	13.8	0.138	192	12	1



# Classic Mechanical Torque Wrenches

- Certified accuracy to  $\pm 4\%$

AVT100A



## 3/8" Classic

Ref.	Square drive	Torque range Nm	Length mm	List £
AVT100A	3/8	2.5-11	318	£115.44
AVT300A	3/8	5-33	422	£115.44
AVT600	3/8	12-68	476	£122.48

EVT3000A

EVT600A



## 1/2" Classic

Ref.	Square drive	Torque range Nm	Length mm	List £
EVT600A	1/2	12-68	476	£122.48
EVT1200A	1/2	25-135	546	£128.85
EVT2000A	1/2	50-225	597	£152.09
EVT3000A	1/2	70-330	825	£179.92

- Exceeds the requirements of ISO 6789

HVT5000

GVT8400



## 3/4" & 1" Classic

Ref.	Square drive	Torque range Nm	Length mm	List £
HVT5000	3/4	140-560	1130	£454.34
HVT7200	3/4	200-810	1181	£454.34
GVT8400	1	480-940	1397	£662.57



## Series 2 Torque Wrenches



### TORQUE RANGE

Ref.	Drive	Capacity Nm Min. Max.	Length mm	List £
D25T	1/4" Ratchet	5 - 25	290	£128.04
A50T	3/8" Ratchet	10 - 50	370	£128.04
E100T	1/2" Ratchet	20 - 100	435	£128.04
E200T	1/2" Ratchet	40 - 200	495	£145.50
E340T	1/2" Ratchet	60 - 340	650	£161.80

- Strong 72 tooth ratchet
- Split scale adjustment system
  - Linear major scale - for coarse adjustment
  - Rotary minor scale - for fine adjustment
- Positive lock - preventing accidental adjustment whilst in use
- Complies with ISO 6789
- Certified accuracy to  $\pm 4\%$

## Torque Calibration & Testing



- SI Metric and English imperial units
- Track and peak modes
- Accuracy  $\pm 1\%$  over operational range



### Checkmate Torque Testers

Ref.	Description	Range Nm	G	List £
CM40	Torque Tester	5-50	R	£1051.46
CM400	Torque Tester	36-360	R	£1051.46
CM1000	Torque Tester	110-1100	R	£1305.97

### Torque Multipliers

Ref.	Input	Max input	Output	Max output	Torque multiplication	G	List £
HXT28	3/4	560Nm	1	2800Nm	5 x	R	£736.20
EXT13	1/2	407Nm	3/4	1350Nm	3.3 x	R	£696.05

# Wrenches




### Combination Wrenches

Britool combination wrenches feature Stress Relief Drive on the ring end. All open jaw ends feature a constant radius of curvature – reducing stress concentrations and jaw flexing. Both of these features enhance fastener grip and prolong both tool and fastener life. All Britool combination wrenches are manufactured to ISO 7738.

Britool combination wrenches are supplied in four different length variants – short, standard, long and extra long.

Britool combination wrenches are clearly marked with the wrench size on the open jaw head for ease of identification.



### Open Jaw Wrenches

All open jaw ends feature a constant radius of curvature – reducing stress concentrations and flexing of the jaws.

### Ring Wrenches

Britool Ring Wrenches are offset at 45° for ease of access and feature Stress Relief Drive.


Britool wrenches are manufactured to the latest ISO standards. All are forged from the highest quality steel and precision machined to exacting standards. They fulfil the needs of the professional engineer.

- Drop forged to ensure uniform grain structure, giving increased strength and reliability
- Heat treated in carefully controlled conditions to ensure optimum performance for every wrench
- Chrome plated for maximum corrosion protection

Britool's advanced Stress Relief Drive (SRD) is standard on all 12 point rings. This reduces fastener wear, assists in the removal of worn fasteners, and enables higher torque loads to be applied.


Britool's advanced ring configuration increases the contact area between the socket and the fastener, minimising stress and reducing the chance of fastener damage.

Because the load is applied to the flat of the fastener, rather than the corners – even if the fastener is already damaged – the drive is superior to a standard profile socket.



### Conventional Profile


Corner point contact gives high stress areas – highlights show contact points on the corner of the fastener




### SRD Profile

Distributed surface loads relieves possible stress area – highlights show contact points away from the corner of the fastener


## SAFETY MEASURES




Never grind or alter the shape of the wrench



Never hammer or strike a wrench unless it is designed for this purpose



Never work with damaged or chipped tools



Always ensure there is a positive fit onto the fastener



Do not extend length of wrench by locking two together



# Ratcheting Wrenches



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism
- Flexi head design for ease of access

## Flexible Ratcheting Combination Wrench Set

Ref.	Description	Sizes	List £
RRFJMSET12	12 Piece Flexible	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	£153.30



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism
- Cranked reversible design

## Ratcheting Combination Wrench Set

Ref.	Description	Sizes	List £
RRJMSET1	12 Piece	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	£124.91



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism

## Double Ended Ratcheting Wrench Set

Ref.	Description	Sizes	List £
RRMSET5	5 Piece	8 x 10, 10 x 11, 12 x 13, 14 x 15, 17 x 19mm	£51.10



- Fine tooth mechanism gives a 5° minimum working arc
- Robust mechanism for high torque loads and long working life
- Heat treated chrome-vanadium construction for maximum strength and durability
- Chrome and nickel plating for maximum corrosion protection
- Cranked reversible design

## Professional Stubby Combination Wrench Set

Ref.	Description	Sizes	List £
RRJMSSET7	7 Piece	10, 12, 13, 14, 15, 17, 19mm	£55.64



- Contains sizes
- Fine tooth mechanism gives a 5° minimum working arc
- Robust mechanism for high torque loads and long working life
- Heat treated chrome-vanadium construction for maximum strength and durability
- Chrome and nickel plating for maximum corrosion protection

### 4 Piece Professional TX Star Wrench Set

Ref	Description	Sizes	List £
RRTSET4	4 Piece	E6 x E8, E10 x E12, E14 x E16, E20 x E24	£26.32



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism
- Ratcheting Combination Wrench Set With Rapid Open Jaw Feature

### Rapid open jaw design

Ref.	Description	Sizes	List £
RRJMSET12F	12 Piece Rapid Jaw	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	£103.95



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism
- Flexi head design for ease of access

### Flexi Head Ratcheting Combination Wrenches

Ref.	Size mm	Length mm	List Price
RRFJM8	8	140	£11.36
RRFJM9	9	145	£11.36
RRFJM10	10	160	£11.36
RRFJM11	11	170	£11.36
RRFJM12	12	175	£11.36
RRFJM13	13	184	£12.49
RRFJM14	14	190	£12.49
RRFJM15	15	200	£13.06
RRFJM16	16	215	£13.63
RRFJM17	17	230	£14.76
RRFJM18	18	238	£15.90
RRFJM19	19	248	£15.90



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism

### Reversible Ratcheting Combination Wrenches

Ref.	Size mm	Length mm	List Price
RRJM8	8	135	£9.08
RRJM9	9	140	£9.08
RRJM10	10	158	£9.08
RRJM11	11	166	£9.08
RRJM12	12	170	£10.22
RRJM13	13	178	£10.22
RRJM14	14	187	£10.79
RRJM15	15	198	£10.79
RRJM16	16	212	£12.49
RRJM17	17	230	£12.49
RRJM18	18	238	£12.49
RRJM19	19	247	£13.06



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism

### Stubby Ratcheting Combination Wrenches

Ref.	Size mm	Length mm	List Price
RRJSM10	10	95	£6.53
RRJSM12	12	103	£7.38
RRJSM13	13	106	£7.38
RRJSM14	14	112	£7.95
RRJSM15	15	116	£7.95
RRJSM17	17	126	£10.22
RRJSM19	19	130	£10.22



- 72 tooth mechanism for 5° minimum working arc
- Manufactured from chrome vanadium steel and heat treated for maximum strength
- Precision machined and hardened mechanism

### Double Ended Ratcheting Wrenches

Ref.	Size mm	Length mm	List Price
RRM810	8 x 10	128	£10.16
RRM1011	10 x 11	149	£10.16
RRM1213	12 x 13	170	£11.36
RRM1415	14 x 15	190	£12.50
RRM1719	17 x 19	230	£13.63

# Combination Wrenches



- Turns a ratcheting wrench into a low profile – quick release ratchet
- 1/4"SD x 10mm, 3/8"SD x 13mm, 1/2"SD x 19mm

## 3 Piece Quick Release Adapter Set

Ref	Description	Sizes	List £
RRSD3	3 Piece Adapter Set	1/4"SD x 10mm, 3/8"SD x 13mm, 1/2"SD x 19mm	£9.03



## Combination Wrenches - Metric

Ref.	Size mm	Length mm	List
RJM6	6	109	£5.53
RJM7	7	119	£5.53
RJM8	8	129	£5.53
RJM9	9	139	£5.53
RJM10	10	149	£5.94
RJM11	11	159	£5.94
RJM12	12	169	£5.94
RJM13	13	179	£6.81
RJM14	14	189	£6.81
RJM15	15	199	£7.74
RJM16	16	209	£7.74
RJM17	17	219	£8.96
RJM18	18	229	£8.96
RJM19	19	239	£10.41
RJM20	20	249	£11.88
RJM21	21	259	£12.51
RJM22	22	269	£14.26
RJM23	23	279	£15.42
RJM24	24	289	£16.13
RJM25	25	299	£17.86
RJM26	26	309	£20.66
RJM27	27	319	£21.12
RJM28	28	329	£25.31
RJM30	30	349	£27.99
RJM32	32	269	£31.60
RJM34	34	409	£45.98
RJM36	36	439	£48.59
RJM41	41	479	£65.13
RJM46	46	549	£90.15
RJM50	50	549	£110.58
RJM55	55	609	£156.49
RJM60	60	699	£214.17
RJM65	65	699	£259.57



## Extra Long Combination Wrenches - Metric

Ref.	Size mm	Length mm	List £
RJXM10	10	190	£10.77
RJXM11	11	208	£11.00
RJXM12	12	226	£11.17
RJXM13	13	244	£11.81
RJXM14	14	262	£12.22
RJXM15	15	280	£12.87
RJXM16	16	298	£13.67
RJXM17	17	315	£14.90
RJXM18	18	334	£15.77
RJXM19	19	351	£17.17



## Combination Wrenches - AF

Ref.	Size in	Length mm	List
RJ250	1/4	109	£5.67
RJ312	5/16	129	£5.67
RJ344	11/32	139	£5.67
RJ375	3/8	149	£5.67
RJ437	7/16	159	£5.90
RJ500	1/2	179	£5.90
RJ562	9/16	189	£6.86
RJ625	5/8	209	£7.76
RJ687	11/16	219	£8.95
RJ750	3/4	239	£8.95
RJ812	13/16	259	£13.72
RJ875	7/8	269	£14.91
RJ937	15/16	289	£16.27
RJ1000	1	299	£17.90
RJ1062	1 1/16	319	£19.58
RJ1125	1 1/8	339	£25.86
RJ1250	1 1/4	369	£30.67
RJ1312	1 5/16	409	£40.49
RJ1375	1 3/8	409	£48.22
RJ1437	1 7/16	439	£49.48
RJ1500	1 1/2	439	£60.64
RJ1625	1 5/8	479	£68.36
RJ1687	1 11/16	479	£75.37
RJ1750	1 3/4	549	£75.37
RJ1812	1 13/16	549	£113.49
RJ1875	1 7/8	549	£113.49



## Combination Wrenches - Whitworth

Ref.	Size in	Whit	BA	Length mm	List £
RJ248	0.25		4	109	£7.19
RJ324	0.32		2	129	£7.20
RJ338	0.34	1/8		139	£7.93
RJ413	0.41		0	159	£7.20
RJ445	0.45	3/16		159	£7.93
RJ525	0.53	1/4		179	£8.96
RJ600	0.6	5/16		209	£10.48
RJ710	0.71	3/8		219	£12.20
RJ820	0.82	7/16		259	£15.14
RJ920	0.92	1/2		289	£19.45
RJ1010	1.01	9/16		299	£25.65
RJ1100	1.1	5/8		319	£34.40
RJ1200	1.2	11/16		369	£38.12
RJ1300	1.3	3/4		409	£51.32
RJ1480	1.48	7/8		439	£79.02

RJMSET14/TC



RJXSET10/TC



RJMSET7L/TC



**Combination Wrench Sets  
– In ABS Tool Control Trays**

Ref.	Description	Sizes	List £
RJMSET14/TC	14 Piece Metric	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	£82.95
RJMSET7L/TC	7 Piece Metric	20, 21, 22, 24, 27, 30, 32mm	£89.25
RJXSET10/TC	10 Piece Metric – Extra Long	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	£103.95

ND349K



**Stubby Combination Wrenches**

Ref.	Description	Sizes	List £
RJSMSET7	7 Piece Metric	10, 12, 13, 14, 15, 17, 19mm	£40.95

**Combination Wrench Sets**

Ref.	Description	Sizes	List £
RJMSET8	8 Piece Metric	8, 10, 11, 12, 13, 14, 17, 19mm	£46.20
RJMSET11	11 Piece Metric	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm	£68.25
ND360E	17 Piece Metric	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24mm	£141.31
RJSET8	8 Piece AF	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8in	£50.40
ND243L	10 Piece AF	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16in	£92.95
ND251D*	14 Piece AF	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1 1/16, 1 1/8, 1 1/4in	£192.64
ND130A	7 Piece Whitworth	1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2W	£74.21
ND150J	11 Piece Whitworth	1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4W	£219.80


RJMSET8




RJMSET11



# Combination Wrench Sets



RJM10/STC



RJXMSET10

RJXM7/S

## Wrench Sets - Hi-tech Foam

Ref.	Description	Sizes	List £
RJM10/STC	8 Piece Metric	10, 11, 12, 13, 14, 16, 17, 19mm	£56.97
RJ10/STC	8 Piece AF	1/4, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4in	£57.62
RJXM7/STC	7 Piece Metric Extra Long	10, 11, 12, 13, 14, 17, 19mm	£89.22

## Extra Long Combination Wrench Sets

Ref.	Description	Sizes	List £
RJXM7/S	7 Piece Metric	10, 11, 12, 13, 14, 15, 17mm	£84.79
RJXM7/S19	7 Piece Metric	10, 11, 12, 13, 14, 17, 19mm	£89.22
RJXMSET10	10 Piece Metric	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	£103.95



## Open Jaw Wrenches

### Open Jaw Wrenches - Metric

Ref.	Size mm	Length mm	List £
2JM67	6 x 7	121	£4.71
2JM78	7 x 8	138	£4.71
2JM89	8 x 9	140	£4.71
2JM1011	10 x 11	157	£4.71
2JM1013	10 x 13	168	£5.53
2JM1213	12 x 13	171	£5.53
2JM1317	13 x 17	200	£6.46
2JM1415	14 x 15	184	£6.46
2JM1617	16 x 17	200	£6.46
2JM1719	17 x 19	213	£7.56

### Open Jaw Wrenches - Metric

Ref.	Size mm	Length mm	List £
2JM1819	18 x 19	213	£7.56
2JM1922	19 x 22	245	£9.48
2JM2022	20 x 22	245	£10.65
2JM2123	21 x 23	245	£10.65
2JM2224	22 x 24	259	£13.67
2JM2427	24 x 27	286	£19.23
2JM2430	24 x 30	313	£22.23
2JM2730	27 x 30	315	£22.68
2JM3032	30 x 32	321	£23.80
2JM3236	32 x 36	368	£30.38
2JM3641	36 x 41	343	£47.35



### Open Jaw Wrenches - AF

Ref.	Size in	Length mm	List £
2J2531	1/4 x 5/16	121	£4.30
2J3137	5/16 x 3/8	140	£4.43
2J3743	3/8 x 7/16	157	£4.77
2J4350	7/16 x 1/2	171	£5.53
2J5056	1/2 x 9/16	184	£5.94
2J5662	9/16 x 5/8	184	£6.00
2J5668	9/16 x 11/16	200	£6.35
2J6268	5/8 x 11/16	200	£6.57
2J6275	5/8 x 3/4	213	£7.80
2J6875	11/16 x 3/4	213	£7.80
2J7587	3/4 x 7/8	245	£8.62
2J8187	13/16 x 7/8	245	£9.25
2J8193	13/16 x 15/16	245	£9.61
2J93100	15/16 x 1	259	£13.91
2J93112	15/16 x 1 1/8	285	£18.74
2J106112	1 1/16 x 1 1/8	315	£19.50
2J106125	1 1/16 x 1 1/4	317	£20.84
2J125143	1 1/4 x 1 7/16	330	£31.77
2J131150	1 5/16 x 1 1/2	330	£33.93
2J162181	1 5/8 x 1 13/16	432	£50.99
2J168187	1 11/16 x 1 7/8	432	£52.67




### Open Jaw Wrenches - Whitworth

Ref.	Size in	Whit	Length mm	List £
2J3344	0.34 x 0.45	1/8 x 3/16	157	£6.63
2J4452	0.45 x 0.53	3/16 x 1/4	171	£7.30
2J5260	0.53 x 0.60	1/4 x 5/16	184	£7.86
2J6071	0.60 x 0.71	5/16 x 3/8	200	£9.33
2J7182	0.71 x 0.82	3/8 x 7/16	213	£11.57
2J8292	0.82 x 0.92	7/16 x 1/2	245	£13.77
2J92101	0.92 x 1.01	1/2 x 9/16	259	£17.15
2J101110	1.01 x 1.10	1/2 x 5/8	283	£22.48
2J101120	1.01 x 1.20	9/16 x 11/16	322	£27.83
2J110120	1.10 x 1.20	5/8 x 11/16	317	£28.83
2J120130	1.20 x 1.30	11/16 x 3/4	321	£33.44
2J130148	1.30 x 1.48	3/4 x 7/8	330	£49.90
2J148167	1.48 x 1.67	7/8 x 1	384	£69.74
2J186205	1.86 x 2.05	1 1/8 x 1 1/4	467	£81.90



Midget Open Jaw Wrenches - BA

Ref.	Size in	BA	Length mm	List £
5J1013	0.10 x 0.13	11 x 9	70	£4.59
5J1115	0.12 x 0.15	10 x 8	70	£4.62
5J1722	0.17 x 0.22	7 x 5	80	£4.62
5J1924	0.19 x 0.25	6 x 4	80	£4.62
5J2432	0.25 x 0.32	4 x 2	80	£4.62
5J2836	0.28 x 0.37	3 x 1	90	£5.08
5J3241	0.32 x 0.41	2 x 0	100	£5.13



\*Supplied in red PVC wallet

Midget Open Jaw Wrench Sets

Ref.	Description	Sizes	List £
NB108T	6 Piece BA	11 x 9, 10 x 8, 7 x 5, 6 x 4, 3 x 1, 2 x 0BA	£24.45

Open Jaw Wrench Sets

Ref.	Description	Sizes	List £
S2JM10	10 piece Metric	6 x 7, 7 x 8, 8 x 9, 10 x 13, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 17 x 19, 18 x 19mm	£42.66
NB351G	11 piece Metric	6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26 & 27 x 30mm	£91.20
NB227D*	6 piece AF	5/16 x 3/8, 7/16 x 1/2, 9/16 x 5/8, 11/16 x 3/4, 13/16 x 7/8, 15/16 x 1in	£44.70
NB231E	7 piece AF	5/16 x 3/8, 3/8 x 7/16, 7/16 x 1/2, 1/2 x 9/16, 9/16 x 5/8, 5/8 x 11/16, 11/16 x 3/4in	£40.10
NB250P	10 piece AF	1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 7/16 x 1/2, 1/2 x 9/16, 9/16 x 5/8, 5/8 x 11/16, 11/16 x 3/4, 3/4 x 7/8, 15/16 x 1in	£65.01
NB131R	7 piece Whitworth	1/8 x 3/16, 3/16 x 1/4, 1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 7/16 x 1/2, 1/2 x 9/16W	£69.71
NB141C	9 piece Whitworth	1/8 x 3/16, 3/16 x 1/4, 1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 7/16 x 1/2, 1/2 x 9/16, 9/16 x 5/8, 5/8 x 11/16W	£119.71



Open Jaw Wrench Sets in ABS Tool Control Trays

Ref.	Description	Sizes	List £
2JMSET8/TC	8 Piece Metric	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	£37.80

Ring Wrenches




Ring Wrenches - Metric

Ref.	Size mm	Length mm	List £
9RBM67	6 x 7	168	£6.27
9RBM89	8 x 9	183	£6.65
9RBM1011	10 x 11	198	£7.18
9RBM1213	12 x 13	217	£7.57
9RBM1415	14 x 15	239	£8.01
9RBM1617	16 x 17	260	£8.69
9RBM1819	18 x 19	292	£10.06



Ring Wrench Sets - Hi-tech Foam

Ref.	Description	Sizes	List £
NC391T/TC	7 Piece Metric	6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19mm	£65.18



## Ring Wrench Sets in ABS Tool Control Trays

Ref.	Description	Sizes	List £
RRBMSET7/TC	7 Piece Metric	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm	£47.25

## Ring Wrench Sets

Ref.	Description	Sizes	List £
NC381T	7 Piece Metric	6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19mm	£53.25



## Extra Long Ring Wrench Set

Ref.	Description	Sizes	List £
RRLMSET3	3 Piece Metric	10x12, 13x14, 17x19	£51.45

# Ratcheting Ring Wrenches



## Offset Ratcheting Wrenches - Metric

Ref.	Size mm	Length mm	List £
RBOM78	7 x 8	109	£11.92
RBOM910	9 x 10	138	£13.77
RBOM1112	11 x 12	168	£17.49
RBOM1314	13 x 14	168	£17.49
RBOM1517	15 x 17	200	£20.47
RBOM1921	19 x 21	227	£22.54



## Flat Ratcheting Wrenches - Metric

Ref.	Size mm	Length mm	List £
RBB78	7 x 8	108	£10.88
RBB910	9 x 10	140	£12.22
RBB1112	11 x 12	171	£15.49
RBB1314	13 x 14	171	£15.49
RBB1517	15 x 17	203	£18.57
RBB1618	16 x 18	203	£18.57
RBB1921	19 x 21	235	£20.59

## Offset Ratcheting Wrenches - AF

Ref.	Size in	Length mm	List £
RBO2531	1/4 x 5/16	109	£11.15
RBO3743	3/8 x 7/16	138	£12.65
RBO5056	1/2 x 9/16	168	£18.93
RBO6268	5/8 x 11/16	168	£21.14
RBO7587	3/4 x 7/8	227	£21.63

## Flat Ratcheting Wrenches - AF

Ref.	Size in	Length mm	List £
RBB2531	1/4 x 5/16	108	£9.94
RBB3743	3/8 x 7/16	140	£11.72
RBB4350	7/16 x 1/2	171	£17.76
RBB5056	1/2 x 9/16	171	£17.20
RBB5662	9/16 x 5/8	203	£19.76
RBB6268	5/8 x 11/16	203	£19.58
RBB7587	3/4 x 7/8	235	£19.92



Ratcheting Box Wrench Set

Ref.	Description	Sizes	List £
RCHWRENCH1	6 Piece Ratcheting Box Wrench Set	7 x 8, 9 x 10, 11 x 12, 13 x 14, 15 x 17, 19 x 21mm	£81.76




Ratcheting Ring Wrench Sets

Ref.	Description	Sizes	List £
RBMSET	5 Piece Metric Ratcheting Offset	7 x 8, 9 x 10, 11 x 12, 15 x 17, 19 x 21mm	£77.24
RBOSET	5 Piece AF Ratcheting Offset	1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 7/8in	£75.37



Ratcheting Box Wrench Set

Ref.	Description	Sizes	List £
RRMSET5	5 Piece Double Ended Ratcheting Wrench Set	8 x 10, 10 x 11, 12 x 13, 14 x 15, 17 x 19	£51.10



Ratcheting Ring Wrench Sets - Hi-tech Foam

Ref.	Description	Sizes	List £
RBMSET/TC	7 Piece Metric Ratcheting Ring Wrench Set	7 x 8, 9 x 10, 11 x 12, 13 x 14, 15 x 17, 16 x 18, 19 x 21mm	£108.19
RBSET/TC	7 Piece AF Ratcheting Ring Wrench Set	1/4 x 5/16, 3/8 x 7/16, 7/16 x 1/2, 1/2 x 9/16, 9/16 x 5/8, 5/8 x 11/16, 3/4 x 7/8in	£113.49
RBOMSET/TC	6 Piece Metric Ratcheting Offset Ring Wrench Set	7 x 8, 9 x 10, 11 x 12, 13 x 14, 15 x 17, 19 x 21mm	£99.93

Miscellaneous Wrenches



'C' Hook Wrenches

Ref.	Size mm	Length mm	List £
3150	19-51	165	£18.42
3151	32-76	216	£25.44
3152	51-121	267	£33.50



Adjustable Wrenches - Chrome

Ref.	Jaw Opening (max) mm	Length mm	List £
306C	19	152	£19.20
308C	26	203	£22.40
310C	30	254	£27.41
312C	34	305	£36.82
315C	42	381	£59.78
318C	53	457	£105.14



- Monoblock cast iron handle with I beam construction for strength and rigidity under load
- Handle and moving jaw are forged from high quality steel – heat treated to ensure maximum strength and wear resistance

Heavy Duty Pipe Wrenches

Ref	Length mm	Max Jaw Capacity mm	List £
PW200	200	34	£20.51
PW250	250	49	£23.94
PW300	300	60	£27.65
PW350	350	60	£31.70
PW450	450	76	£45.37



- Designed for scaffolding and steel work applications
- Heavy duty 32 tooth ratchet mechanism
- Zinc plated
- Stress relief drive on all socket heads
- Double sided mechanism gives two sizes per wrench

Ratcheting Podger Wrenches

Ref.	Description	List £
RRPM1719	17 x 19	£19.30
RRPM1921	19 x 21	£21.58
RRPM2427	24 x 27	£26.12



# Screwdrivers & Insert Bits



# Screwdrivers Technical Information

The performance of Britool screwdrivers exceeds ISO standards. This comprehensive range gives outstanding performance, providing optimum torque with a minimum of user fatigue.

## Range

Britool screwdrivers are available with a full range of tips including long reach versions.

## Screwdriver Blades

All Britool screwdriver blades have shot blasted tips to give increased grip—ensuring positive fastener location, and reducing slippage and possible damage or injury.

Heat treatment gives the correct balance of hardening and tempering—for optimum hardness without being brittle.


Blades designed to fit large fasteners incorporate a hexagon bolster, allowing a wrench to be used if extra torque is required.

## Screwdriver Handles

Britool screwdriver handles are ergonomically designed with a two piece construction combining comfort in use with durability. A soft, textured rubber grip allows maximum torque to be applied without discomfort.

The tough bi-material handle is moulded directly onto the flanged blade, preventing the blade from twisting or pulling out of the handle.

- Colour coded for easy identification
- Textured finish ensures a firm grip even when greasy
- Large diameter handle gives a positive grip when applying high torque loads
- Small diameter area aids accurate location and fast screw turning
- Holed handle allows easy and safe storage



Shot blasted tip

Blade exceeds international standards

Chrome plated vanadium steel

Hexagon bolster – enables a wrench to be used for extra torque (selected models only)

Handle material resistant to hydrocarbons, Skydrol and other oils

Flanged tang moulded into handle

Moulded acetate handle

End cap indicates tip type

## Engineers Screwdrivers



### Flared Tip

Ref.	Length mm	Tip width mm	List £
SM100/5.5	100	5.5	£4.60
SM125/6.5	125	6.5	£6.22
SM150/6.5	150	6.5	£6.35
SM150/8	150	8.0	£8.27
SM250/8	250	8.0	£8.73
SM200/10	200	10.0	£10.59
SM250/12	250	12.0	£12.22

### Torx

Ref.	Length mm	Tip	List £
SM75T10	75	T10	£4.70
SM75T15	75	T15	£5.38
SM100T20	100	T20	£6.42
SM100T25	100	T25	£7.63
SM100T27	100	T27	£7.63
SM125T30	125	T30	£7.88
SM125T40	125	T40	£9.65

### Tamper Proof Torx

Ref.	Length mm	Tip	List £
SM75TPT10	75	T10	£4.77
SM75TPT15	75	T15	£5.45
SM100TPT20	100	T20	£6.47
SM100TPT25	100	T25	£7.72
SM100TPT27	100	T27	£7.95
SM125TPT30	125	T30	£7.95
SM125TPT40	125	T40	£9.65



## Pozidriv

Ref.	Length mm	Tip	List £
SM75PZ0	75	PZ0	£4.19
SM75PZ1	75	PZ1	£4.77
SM100PZ1	100	PZ1	£5.29
SM125PZ2	125	PZ2	£7.34
SM150PZ3	150	PZ3	£9.66
SM200PZ4	200	PZ4	£12.22



## Stubby Pozidriv

Ref.	Length mm	Tip	List £
SM30PZ1	30	PZ1	£4.89
SM30PZ2	30	PZ2	£5.06

## Electricians Screwdrivers



## Parallel Tip

Ref.	Length mm	Tip width mm	List £
SE50/2.5	50	2.5	£2.27
SE50/3	50	3.0	£2.44
SE75/3.5	75	3.5	£2.62
SE100/3.5	100	3.5	£3.20
SE100/4	100	4.0	£3.20
SE150/4	150	4.0	£3.96
SE150/5.5	150	5.5	£4.25
SE175/6.5	175	6.5	£4.95
SE250/5	250	5.0	£4.60



## Phillips

Ref.	Length mm	Tip	List £
SE50PH00	50	PH00	£2.50
SE75PH0	75	PH0	£2.79
SE75PH1	75	PH1	£3.69
SE100PH1	100	PH1	£4.19
SE125PH2	125	PH2	£6.22
SE150PH3	150	PH3	£8.55
SE200PH4	200	PH4	£11.23



## Insulated Parallel Tip

Ref.	Length mm	Tip width mm	List £
SES50/2.5	50	2.5	£3.43
SES100/3.5	100	3.5	£3.90
SES150/4	150	4.0	£5.18
SES175/5.5	175	5.5	£6.81



## Insulated Phillips

Ref.	Length mm	Tip	List £
SE50PH00	50	PH00	£3.55
SE75PH0	75	PH0	£4.08
SE100PH1	100	PH1	£6.05
SE125PH2	125	PH2	£8.55



## Stubby Parallel Tip

Ref.	Length mm	Tip width mm	List £
SE30/4	30	4.0	£3.67
SE30/5.5	30	5.5	£3.72
SE30/6.5	30	6.5	£3.84



## Stubby Phillips


Ref.	Length mm	Tip	List £
SE30PH1	30	PH1	£4.19
SE30PH2	30	PH2	£4.30





Screwdriver Sets			
Ref.	Description	Sizes	List £
SDS5	5 Piece Flared & Parallel Tip	Flared Tip: 6.5, 8mm Parallel Tip: 3.5, 4, 5.5mm	£26.19
SDS6	6 Piece Pozidriv, Flared & Parallel Tip	Flared Tip: 5.5, 6.5, 8mm Parallel Tip: 3.5mm Pozidriv: PZ1, PZ2	£31.80
SDS7	7 Piece Pozidriv, Flared & Parallel Tip	Flared Tip: 5.5, 6.5, 8mm Parallel Tip: 3.5, 4mm Pozidriv: PZ1, PZ2	£34.07

Micro Screwdriver Sets			
Ref.	Description	Sizes	List £
SL4/S	4 Piece Torx Micro Set	T6, 7, 8, 9	£19.25
SL6/S	6 Piece Slotted / Phillips Micro set	Slotted: 2, 2.5, 3 Phillips: PH000, 00, 0	£14.91
SL8/S	9 Piece Interchangeable Tip Micro Set	Slotted: 1, 1.2, 1.5, 1.8, 2, 2.5mm Phillips: PH000, PH00	£15.46



SDS8/TC



SDRIV1



SDRIV3



SDS9/TC



SDRIV4



SDRIV2



SDS11



SDRIV6



SDS7/2TC

Screwdriver Sets - Hi-tech Foam			
Ref.	Description	Sizes	List £
SDS7/2TC	7 Piece Torx Set	Torx: T10, 15, 20, 25, 27, 30, 40	£46.50
SDS8/TC	8 Piece Insulated Screwdriver Set	Insulated Parallel Tip: 2.5, 3.5, 4, 5.5mm Insulated Phillips Tip: PH00, PH0, PH1, PH2	£37.67
SDS9/TC	9 Piece Phillips, Flared & Parallel Tip	Flared Tip: 6.5, 8. Parallel Tip: 3.5, 4, 5.5 4mm Stubby, Phillips: PH1, PH2 PH1 Stubby	£41.85
SDS11	11 Piece Pozidriv, Flared & Parallel Tip	Flared Tip: 5.5, 6.5, 8. Parallel Tip: 3.5, 4, 6.5mm Stubby, Pozidriv: PZ0, PZ1, PZ2, PH3, PZ2 Stubby	£59.95

Screwdriver Sets			
Ref.	Description	Sizes	List £
SDRIV1	8 Piece Flared & Pozidriv Set Tip	Flared Tip :3.5, 4, 5.5, 6.5, 8 Pozidriv PZ0, PZ1, PZ2	£36.34
SDRIV2	7 Piece Torx Screwdriver Set	Torx T10, T15, T20, T25, T27, T30, T40	£42.58
SDRIV3	8 Piece Insulated Screwdriver Set	Insulated Parallel Tip : 2.5, 3.5, 4, 5.5 Phillips PH00, PH0, PH1, PH2	£36.34
SDRIV4	8 Piece Flared & Phillips Screwdriver Set Insulated	Flared Tip :3.5, 4, 5.5, 6.5, 8 Pozidriv PH0, PH1, PH2	£34.07
SDRIV5	7 Piece Tamper Proof Torx Screwdriver Set	Tamper Proof Torx:T10, T15, T20, T25, T27, T30, T40	£42.58
SDRIV6	7 Piece Stubby Screwdriver Set	Slotted Tip: 4, 5.5, 6.5 Philips PH1, PH2 Pozidriv PZ1, 2	£29.63

# Ratcheting Screwdrivers



- Robust gearless mechanism – gives less than 1° minimum working arc
- Negligible reverse torque
- Magnetic bit retention
- Complete with bits: Pozidriv 1, 2, Phillips 1, 2 Slotted 4 & 6.5mm

## Gearless Ratcheting Screwdrivers

Ref.	Description	Insert Bits	Length mm	List £
BCSD1	Gearless ratcheting screwdriver	Phillips® PH1, 2 Pozidriv® PZ1, 2 Slotted 4, 6.5mm	225	£9.03
BCSD2	Stubby gearless ratcheting screwdriver	Phillips® PH1, 2 Pozidriv® PZ1, 2 Slotted 4, 6.5mm	115	£7.89
BCSD3	Long reach gearless ratcheting screwdriver	Phillips® PH1, 2 Pozidriv® PZ1, 2 Slotted 4, 6.5mm	310	£10.79



## Professional 35 Piece Ratcheting Screwdriver Set

Ref	Contents	List £
BRSDSET1	<ul style="list-style-type: none"> <li>• Fine tooth ratcheting screwdriver handle</li> <li>• 1/4" hexagon screwdriver blades - 150mm, 250mm</li> <li>• 1/4" square drive screwdriver blade - 250mm</li> <li>• 1/4" flexible screwdriver blade - 290mm</li> <li>• Hexagon bits: 3,4,5,6,7 &amp; 8mm</li> <li>• Slotted bits: 4,5,5 &amp; 7mm</li> <li>• Pozidriv® bits: #1,2 &amp; 3</li> <li>• Phillips® bits: #1,2 &amp; 3</li> <li>• Torx® bits: TX10,15,20,25,27,30 &amp; 40</li> <li>• Tamperproof Torx® bits: TTX10,15,20,25,27,30 &amp; 40</li> <li>• 1/4" hex - 1/4" square drive adaptor</li> </ul>	£51.10



- Handle can be adjusted to give an ergonomic pistol grip design allowing much higher torque loads to be applied
- Adjustable grip ratcheting screwdriver with 1/4" hexagon drive and interchangeable blade
- Cartridge style 6 bit holder
- Fine tooth high load reversible ratchet mechanism

## Adjustable Grip Ratcheting Screwdriver

Ref	Insert Bits	List £
BRSDF1	Phillips® Tip: Ph1, 2, Pozidriv® Tip: Pz1, 2 Slotted: 4, 6.5mm	£25.55



- Fine tooth, high load reversible mechanism
- Soft touch ergonomic handle
- Soft eject, integral bit holder
- Complete with six S2 alloy steel bits

## Professional Ratcheting Screwdriver

Ref	Insert Bits	List £
BRSD2	Phillips® Tip: Ph1, 2, Pozidriv® Tip: Pz1, 2 Slotted: 4, 6.5mm	£20.44



## 18 Piece Stubby Ratcheting Screwdriver Set

Ref	Contents	List £
BRSDSET2	<ul style="list-style-type: none"> <li>• Fine tooth stubby ratcheting screwdriver handle</li> <li>• 50mm 1/4" hexagon drive screwdriver blade</li> <li>• 150mm 1/4" square drive flexible screwdriver blade</li> <li>• 5 1/4" square drive sockets 4, 4.5, 5, 5.5, 6mm</li> <li>• 1/4" Hexagon (female) / 1/4" square drive adapter (female)</li> <li>• 9 1/4" square drive S2 steel insert bits</li> <li>• 2 Slotted bits: 4, 6.5mm</li> <li>• 3 Pozidriv bits; Pz1, 2, 3</li> <li>• 3 Phillips bits; Ph1, 2, 3</li> <li>• 1/4" Hexagon (male) / 1/4" square drive adapter (male)</li> </ul>	£23.85



### 31 Piece Multi-Pattern Bit Set

Ref	Contents	List £
BBS31	<ul style="list-style-type: none"> <li>Locking bit holder • Slotted bits: 3.5,4.5,5.5,6.5 &amp; 8mm</li> <li>Phillips® bits: Ph1,2(x2) &amp; 3 • Pozidriv® bits: Pz1,2(x2) &amp; 3</li> <li>Hexagon bits: 2,3,4,5,6,7 &amp; 8mm • Tamperproof Torx® bits: 9,10,15,20,25,27,30 &amp; 40mm • Robertson® square bits: #1 &amp; 2</li> </ul>	£14.19

### Hexagon Insert Bits

Ref.	Size AF	Hex Drive	Length mm	List £
1USB093	3/32"	1/4"	25	£4.04
1USB125	1/8"	1/4"	25	£4.04
1USB156	5/32"	1/4"	25	£4.04
1USB187	3/16"	1/4"	25	£4.04
1USB250	1/4"	1/4"	25	£4.04
1USB2M	2 mm	1/4"	25	£2.99
1USB25M	2.5 mm	1/4"	25	£2.99
1USB3M	3 mm	1/4"	25	£4.04
1USB4M	4 mm	1/4"	25	£3.97
1USB5M	5 mm	1/4"	25	£4.21
1USB6M	6 mm	1/4"	25	£4.21
2USB187	3/16"	5/16"	30	£4.39
2USB218	7/16"	5/16"	30	£4.39
2USB250	1/4"	5/16"	30	£4.89
2USB312	5/16"	5/16"	30	£4.89
2USB5M	5 mm	5/16"	30	£5.01
2USB6M	6 mm	5/16"	30	£5.01
2USB8M	8 mm	5/16"	30	£5.80
3USB375	3/8"	14 mm	40	£7.27
3USB500	1/2"	14 mm	40	£7.27
3USB562	9/16"	14 mm	40	£7.27
3USB10M	10 mm	14 mm	40	£7.27
3USB12M	12 mm	14 mm	40	£7.27
3USB14M	14 mm	14 mm	40	£7.27

### Long Reach Slotted Screw Insert Bits

Ref.	Point Width	Point Thickness	Hex Drive	List £
2USS5	5.5	0.87	5/16"	£4.89
2USS6	6.0	1.07	5/16"	£5.19
2USS7	7.0	1.24	5/16"	£5.19

### Bit Holders

Ref.	[F] Hex AF	[M] Hex AF	Length mm	List £
D1UBA	1/4"	1/4"	22	£6.93
A1UBA	3/8"	1/4"	28	£7.45

### 109 Piece Multi-Pattern Bit Set & Driver

Ref	Contents	List £
BBS109	<ul style="list-style-type: none"> <li>Multi-bit, quick release bit driver • Flexible extension • Drill bit adaptor • 1/2" hex - 1/4" female square adaptor • 1/4" hex - 1/4" male adaptor • Hook adaptor • Phillips® bits: Ph0-4 + 4 spares</li> <li>Pozidriv® bits: Pz0-4 + 4 spares • Slotted bits • Robertson® square bits: #0-4 • Electrical security bits: #1-3 • Torx® bits: TX5 - TX50</li> <li>Tamperproof Torx® bits: TX6 - 40 • Hex bits: 1.5-8mm • Security hex bits: 1.5-8mm &amp; 5/64 - 5/32" • Spline bits: SP4 - 8 • Torq-Set bits: #1/4 - 4 • Tri-wing bits: TW1 - 5 • Snake eye bits: 4-12</li> </ul>	£51.10

### Slotted Insert Bits

Ref.	Point Width	Point Thickness	Hex Drive	List £
1USS4T	4	0.57	1/4"	£1.95
1USS45T	4.5	0.65	1/4"	£1.95
1USS55T	5.5	0.81	1/4"	£1.95
1USS65T	6.5	0.98	1/4"	£1.95
1USS8T	8	1.63	1/4"	£1.95

### Pozidriv Insert Bits

Ref.	Tip	Hex Drive	Length mm	List £
1UPZD0	PZ0	1/4"	25	£1.71
1UPZD1T	PZ1	1/4"	25	£1.34
1UPZD2T	PZ2	1/4"	25	£1.34
1UPZD3T	PZ3	1/4"	25	£1.34
1UPZD4	PZ4	1/4"	25	£4.28
2UPZD1	PZ1	5/16"	32	£3.29
2UPZD2	PZ2	5/16"	32	£3.29
2UPZD3	PZ3	5/16"	32	£3.29
2UPZD4	PZ4	5/16"	32	£3.29

### Phillips Insert Bits

Ref.	Tip	Hex Drive	Length mm	List £
1UPHD1T	PH1	1/4"	25	£1.46
1UPHD2T	PH2	1/4"	25	£1.46
1UPHD3T	PH3	1/4"	25	£1.46
1UPHD4	PH4	1/4"	25	£3.91

### Magnetic Bit Holder

Ref.	[F] Hex AF	[M] Hex AF	Length mm	List £
1BHM	1/4"	1/4"	50	£9.29

## Torx Insert Bits

Ref.	Tip	Hex Drive	Length mm	List £
1UTX6	T x 6	1/4"	25	£5.13
1UTX7	T x 7	1/4"	25	£5.13
1UTX8	T x 8	1/4"	25	£5.13
1UTX9	T x 9	1/4"	25	£5.13
1UTX10	T x 10	1/4"	25	£5.13
1UTX15	T x 15	1/4"	25	£5.13
1UTX20	T x 20	1/4"	25	£5.13
1UTX25	T x 25	1/4"	25	£3.97
1UTX27	T x 27	1/4"	27	£3.97
1UTX30	T x 30	1/4"	30	£3.97
1UTX40	T x 40	1/4"	40	£3.97
2UTX25	T x 25	5/16"	35	£5.56
2UTX30	T x 30	5/16"	35	£5.73
2UTX40	T x 40	5/16"	35	£5.87
2UTX45	T x 45	5/16"	35	£6.00
2UTX50	T x 50	5/16"	35	£6.11
2UTX55	T x 55	5/16"	35	£6.42



## Security Torx Insert Bits

Ref.	Tip	Hex Drive	Length mm	List £
1UTX10S	T x 10	1/4"	25	£4.64
1UTX15S	T x 15	1/4"	25	£4.64
1UTX20S	T x 20	1/4"	25	£4.64
1UTX25S	T x 25	1/4"	25	£4.64
1UTX27S	T x 27	1/4"	25	£4.64
1UTX30S	T x 30	1/4"	25	£4.64
1UTX40S	T x 40	1/4"	25	£4.64



## Ball End Power Keys - Metric

Ref.	Hex Size mm	Length mm	List £
HPKB4	4	183	£3.90
HPKB5	5	183	£4.16
HPKB6	6	240	£6.05
HPKB8	8	240	£7.89
HPKB10	10	240	£9.58



## Power Keys - Metric

Ref.	Hex Size mm	Length mm	List £
HPK2	2	126	£2.48
HPK2.5	2.5	126	£2.48
HPK3	3	126	£2.48
HPK4	4	183	£3.40
HPK5	5	183	£3.40
HPK6	6	240	£5.29
HPK8	8	240	£5.29
HPK10	10	240	£5.29

## Power Keys - Torx

Ref.	Tip	Length mm	List £
TPK10	T10	126	£3.70
TPK15	T15	126	£3.77
TPK20	T20	126	£4.63
TPK25	T25	133	£4.91
TPK27	T27	133	£5.05
TPK30	T30	190	£7.51
TPK40	T40	190	£8.21

## Hexagon & Power Key Sets

Ball End



Standard



TPK8/TC

## Hexagon Key Sets - Plastic Clip

Ref.	Description	List £
HKM9/C	9 Piece Metric Key Set	£8.80
HK9/C	9 Piece AF Key Set	£7.67
HKMB9/C	9 Piece Metric Ball End Hexagon Key Set	£13.80
HKB9/C	9 Piece AF Ball End Hexagon Key Set	£12.55
HKML9/C	9 Piece Metric Long Reach Hexagon Key Set	£10.53
HKL9/C	9 Piece AF Long Reach Hexagon Key Set	£10.45

## Power Key Sets

Ref.	Contents	List £
HPKM6/S	6 Piece Metric Power Key Set	£20.19
TPK6/S	6 Piece Torx Power Key Set	£29.62

## Power Key Sets - Hi-tech Foam

Ref.	Contents	List £
HPKM8/TC	2, 2.5, 3, 4, 5, 6, 8, 10mm Hexagon Power Keys	£29.90
TPK8/TC	T10, T15, T20, T25, T27, T30, T40 - Torx Power Keys	£37.46

# Pliers







## Combination Pliers

Ref.	Length mm	Max wire dia.mm	List £
PG100	165	1.6	£15.67
PG101	180	1.8	£16.47
PG102	200	2.0	£18.11



## Diagonal Cutters

Ref.	Length mm	Max wire dia.mm	List £
PG500	166	1.6	£22.14
PG501	187	1.8	£24.41



## Long Snipe Nose Plier

Ref.	Length mm	Max wire dia.mm	List £
PG200L	200	1.6	£21.58



## End Cutter

Ref.	Length mm	Max wire dia.mm	List £
PG601	200	2	£26.00



## Bent Snipe Nose Plier


Ref.	Length mm	Max wire dia.mm	List £
PG200LB	194	1.6	£22.14



## Multigrip Plier

Ref.	Length mm	Max Capacity	List £
PG800	240	47	£18.45

## Circlip Pliers



## Straight Nose Internal

Ref.	Length mm	Tip dia. mm	Size of Circlips mm		List £
			Min	Max	
PC10	140	0.9	8	12	£15.60
PC11	140	1.3	12	25	£14.38
PC12	180	1.8	19	60	£15.89
PC13	215	2.3	40	100	£18.45



## Bent Nose Internal

Ref.	Length mm	Tip dia. mm	Size of Circlips mm		List £
			Min	Max	
PC10B	130	0.9	8	12	£16.24
PC11B	130	1.3	12	25	£15.02



## Straight Nose External

Ref.	Length mm	Tip dia. mm	Size of Circlips mm		List £
			Min	Max	
PC20	145	0.9	3	10	£15.31
PC21	145	1.3	10	25	£14.26
PC22	180	1.8	19	60	£15.72
PC23	215	2.3	40	100	£18.33



## Bent Nose External

Ref.	Length mm	Tip dia. mm	Size of Circlips mm		List £
			Min	Max	
PC20B	130	0.9	3	10	£16.07
PC21B	130	1.3	10	25	£14.90
PC22B	170	1.8	19	60	£16.30
PC23B	200	2.3	40	100	£20.13



155mm Internal / External

Ref.	Type	Size of Circlips mm		Length	List £
		Min	Max		
CPU21	Internal	8	26	155	£37.04

Replacement Tips - 155mm

Ref.	Type	Tip Sizes mm	List Price
	Bent 90°	0.9, 1.2	




240mm Internal / External

Ref.	Type	Size of Circlips mm		Length	List £
		Min	Max		
CPU65	Internal	31	100	240	£80.80

Replacement Tips - 240mm

Ref.	Type	Tip Sizes mm	List Price
	Bent 90°	2.3, 2.7, 3.0	



195mm Internal / External

Ref.	Type	Size of Circlips mm		Length	List £
		Min	Max		
CPU34	Internal	10	48	195	£41.19

Replacement Tips - 195mm

Ref.	Type	Tip Sizes mm	List £
	Bent 90°	0.9, 1.2	

Miscellaneous Pliers



PM907



PM902



PM901


Lock Grip Plier

Ref.	Jaw Shape	Length mm	Jaw capacity	List £
PM900	Curved	190	42	£17.86
PM901	Curved	235	63	£19.91
PM902	Straight	190	42	£15.07
PM903	Straight	235	63	£16.53
PM906	Long Nose	150	37	£14.71
PM907	Long Nose	250	63	£19.08



Wire Twisting Pliers

Ref.	Length mm	Max wire mm	List £
PMWT6	170	0.5	£32.36
PMWT10	241	0.5	£33.69



PMS3

PMS4



## Engineers Plier Sets

Part No	Description	Sizes	List £
PMS3	3 Piece Set	200mm Combination, 200mm Long Nose, 166mm Diagonal Cutter	£59.05
PMS4	4 Piece Set	200mm Combination, 200mm Long Nose, 166mm Diagonal Cutter, 240mm Multigrip Plier	£76.06

## Interchangeable Circlip Plier Set

Part No	Description	Sizes	List £
CPUSET3	3 Piece Internal/External Interchangeable Plier Set	Internal: 8 - 100mm. External 3 - 100mm	£161.94



## Engineers Plier Set - Hi-tech Foam

Part No	Description	Sizes	List £
PMS4/TC2	4 Piece Set	200mm Combination, 200mm Long Nose, 166mm Diagonal Cutter, 240mm Multigrip	£76.06

## Lock Grip Plier Set - Hi-tech Foam

Part No	Description	Sizes	List £
PMSET3/TC	3 Piece Lock Grip Plier Set	Straight Jaw: 42mm, 63mm. Curved Jaw: 63mm	£52.32



PLIER2

PLIER3

## Circlip Plier Sets

Part No	Description	Sizes	List £
PCS2	4 Piece 19 - 60 mm Circlip Plier Set	Bent Nose Internal/External. Straight Nose Internal/External	£61.40
PCS3	4 Piece 40 - 100 mm Circlip Plier Set	Bent Nose Internal/External. Straight Nose Internal/External	£73.10



## Micro Circlip Plier Set

Ref.	Description	Sizes	List
PMCS1	4 Piece micro circlip plier set	Bent Nose Internal/External. Straight Nose Internal/External	£14.19

## 3 Piece Plier Set

Ref.	Description	Contents	List £
PLIER2	3 Piece Plier Set	180 Combination Plier, 200mm Long Nose Plier, 166mm Side Cutter	£55.64
PLIER3	3 Piece Plier Set	180 Combination Plier, 200mm Long Nose Plier, 240mm Multigrip Plier	£51.10

# Striking & Cutting



# Hammers, Chisels & Punches



- Forged medium carbon steel construction
- Hickory handle – seasoned and kiln processed to ensure the correct moisture content
- Controlled heat treatment – ensuring the correct balance of hardening and tempering

## Ball Pein Hammers - Hickory Handle

Ref.	Size (oz)	Length mm	List £
BPH4	4	275	£10.36
BPH8	8	300	£12.05
BPH16	16	350	£13.91
BPH24	24	375	£16.69
BPH32	32	400	£18.57



- Ideal for heavy duty hammering where maximum but safe blows are required

## Copper / Copper Hammers - Ash Handle

Ref.	Weight (oz)	Hammer No.	Length mm	List £
CCH16	16	A	230	£13.51
CCH32	32	1	280	£19.90
CCH48	48	2	305	£26.90
CCH64	64	3	305	£33.59



- Hickory handle – seasoned and kiln processed to ensure the correct moisture content

## Nylon Soft Faced Hammers

Ref.	Weight (oz)	Hammer No.	Length mm	List £
SFP16	16	32	280	£18.15
SFP24	24	38	305	£20.84
SFP32	32	44	305	£24.61
SFP44	44	50	330	£33.27



- User adjustable impact strength
- Tips machined from S2 steel
- Brass knurled body for a comfortable secure grip

## 2 Piece Automatic Centre Punch Set

Ref	Length mm	List £
ACPSET1	125	£23.85
	150	



## Club Hammer

Ref.	Size lbs	Length mm	List £
MCH4	4	245	£18.15



- An excellent dual purpose hammer for assembly and repair work

## Copper / Rawhide Hammers - Ash Handle

Ref.	Weight (oz)	Hammer No.	Length mm	List £
CRH14	14	A	230	£16.07
CRH24	24	1	280	£22.52
CRH40	40	2	305	£28.78
CRH56	56	3	305	£36.02



- One piece design
- Shot filled steel head prevents rebound

## Dead Blow Hammers

Ref.	Size (oz)	Length mm	List £
DBH18	18	290	£9.65
DBH42	42	380	£18.70



- Contains 4 precision ground cold chisels


## 4 Piece Cold Chisel Set

Ref	Length mm	Width mm	List £
CFCSET1	250	25	£44.29
	200	20	
	190	15	
	180	10	



- The Britool HS212 hacksaw has a unique design which features a reversed bow. This allows extremely high blade tension levels up to 80kg to be applied progressively
- Blade tension levels of this magnitude are essential to gain the maximum benefit from bi-metal blades

Reversed Bow Hacksaw					
Ref.	Length mm	Height mm	Thickness mm	Blade Length mm	List £
HS212	385	145	26	300	£19.26



Front hand rest

Tensioning system

Two blade positions—45° and 90°

Minimum clearance needed to start cutting



Britool Professional Vices

- All forged, heavy duty steel construction for maximum longevity
- Precision machined for smooth fault free operation
- Integral anvil design
- Interchangeable jaws (excludes EV3)

Britool Professional Vices				
Ref.	Jaw Width(mm)	Jaw Opening(mm)	Jaw Depth(mm)	List Price
EV3	75	90	60	£73.81
EV4	100	100	60	£96.52
EV5	125	130	75	£153.30
EV6	150	190	90	£232.79
EV8	205	210	100	£283.89

## Pry Bars



- Powerful square section blade significantly reduces the spring effect often encountered with this style of pry bar
- Screwdriver style handles give a comfortable grip and significantly enhance the leverage which can be applied

### Screwdriver Pry Bars

Ref.	Blade Length mm	List £
SPB175	175	£12.90
SPB300	300	£13.52
SPB450	450	£21.47
SPB600	600	£25.36



- These pry bars are forged from high quality chrome alloy steel and have a red powder coated finish
- Roll head acts as a fulcrum and increases the level of leverage which can be applied
- Used extensively in the automotive industry for leverage and location, particularly on brake assemblies

### Roll Head Pry Bars

Ref.	Length mm	Shank Diameter mm	List £
217	150	8	£8.27
218	300	11	£12.74
219	413	14.3	£20.37



### 3 Piece Screwdriver Pry Bar Set

Ref	Contents	List £
SPBSET	SPB175 SPB300 SPB450	£46.48

# www.britool.com

## VISIT THE BRITOOOL WEBSITE TO SEE THE LATEST PROMOTIONS, COMPETITIONS AND NEWS





<b>A</b>		
Accessories 1/4" sq. drive	17	
Accessories 1/2" sq. drive	23, 24	
Accessories 3/8" sq. drive	20	
Accessories 3/4" sq. drive	28	
Adjustable wrenches	44	
<hr/>		
<b>B</b>		
Bit holders	50	
Bits - insert	50, 51	
Boots	60	
<hr/>		
<b>C</b>		
C-hook wrenches	44	
Cantilever tool boxes	12	
Centre punches	57	
Chisels	57	
Circlip pliers	53, 54	
Combination wrenches	37, 38, 39, 40, 41	
<hr/>		
<b>E</b>		
Extension bars 1/4" sq. drive	17	
Extension bars 3/8" sq. drive	20	
Extension bars 1/2" sq. drive	24	
Extension bars mixed sq. drive	27	
<hr/>		
<b>H</b>		
Hacksaws	58	
Hammers - ball pein	57	
Hammers - claw	57	
Hammers - club	57	
Hammers - copper/ copper	57	
Hammers - dead blow	57	
Hammers - nylon faced	57	
Hand portable tool boxes	12	
Hexagon keys	51	
<hr/>		
<b>I</b>		
Impact sockets 3/8" sq. drive	29	
Impact sockets 1/2" sq. drive	29	
Insert bits	50, 51	
Insulated screwdrivers	47	
<hr/>		
<b>K</b>		
Keys - hexagon	51	
<hr/>		
<b>L</b>		
Lock grip pliers	54	
<hr/>		
<b>M</b>		
Mid sections	8	
<hr/>		
<b>O</b>		
Open jaw wrenches	41, 42	
<hr/>		
<b>P</b>		
Plier sets	55	
Pliers	53, 54, 55	
Pliers - bent nose	53	
Pliers - combination	53	
Pliers - long nose	53	
Pliers - multigrip	53	
Pliers - wire twisting	54	
Podger wrenches	44	
Power keys	51	
Pry bars	59	
<hr/>		
<b>R</b>		
Ratcheting combination wrenches	37, 38	
Ratcheting ring wrenches	37, 38, 43	
Ratcheting screwdrivers	49	
Ratchets 1/4" sq. drive	17	
Ratchets 3/8" sq. drive	20	
Ratchets 1/2" sq. drive	23	
Ratchets 3/4" sq. drive	28	
Ring wrenches	42, 43	
Ring wrenches - ratcheting	37, 38, 43	
Roller cabinets	4, 5	
<hr/>		
<b>S</b>		
Screwdrivers	46, 47, 48, 49	
Screwdrivers - flared tip	46	
Screwdrivers - insulated	47	
Screwdrivers - pozidriv	47	
Screwdrivers - phillips	47	
Screwdrivers - ratcheting	49	
Screwdrivers - stubby	47	
Screwdrivers - torx	46	
Side cabinets	7	
Side shelf	8	
Socket sets 1/4" sq. drive	17, 18, 19	
Socket sets 3/8" sq. drive	21, 22	
Socket sets 1/2" sq. drive	24, 25, 26	
Socket sets 3/4" sq. drive	28	
Socket sets mixed sq. drive	27, 28	
<hr/>		
<b>T</b>		
Tape measures	59	
Tool carts	5	
Tool chests	6, 7	
Toolkits	9, 10, 11, 12	
Torque drivers	34	
Torque multipliers	34	
Torque testers	34	
Torque wrenches - classic	33	
Torque wrenches - dial	33	
Torque wrenches - electronic	33	
Torque wrenches - series 2	33	
<hr/>		
<b>V</b>		
Vices	58	
<hr/>		
<b>W</b>		
Work benches	13	
Work boots	60	
Wrenches - adjustable	44	
Wrenches - C-hook	44	
Wrenches - combination	37, 38, 49, 40, 41	
Wrenches - open jaw	41, 42	
Wrenches - podger	44	
Wrenches - ring	42, 43	











## TRADING TERMS AND CONDITIONS

### Prices

- All goods are supplied at prices ruling on the date of receipt of orders. All prices are subject to VAT at the rate ruling on the date of despatch
- All prices quoted are published list prices, in GBP

### Minimum Order Value (excl. Spare Parts)

- All orders over £50 net, will be delivered carriage paid to most UK mainland addresses
- All orders received with a net value below £50, will be subject to a surcharge of £10, to cover picking, packing and despatch costs
- All orders above £150 net will be delivered carriage paid for offshore and Scottish Highland regions
- Spare parts, as defined in our published price lists, are subject to separate terms and conditions, which are detailed in the Spare Parts Section of our price lists
- Special delivery instructions (eg. overnight, next day, or direct to the distributor's customer) will be subject to a separate, supplementary charge. For details of the scale of charges, please refer to the Sales Office
- **N.B.** Special supplementary charges are in addition to normal minimum order charges
- Any order requiring split deliveries will be subject to the carriage paid conditions for each component of the order

### Additional Export Conditions

- For mainland Europe a minimum nett order value of £200 will be applied.
- For countries outside mainland Europe a minimum nett order of £300 will be applied
- For orders below the minimum order value, a £20 surcharge will be applied to cover export packaging and documentation
- EEC euro zone countries will be invoiced in euros
- For all other countries, invoicing will be in GBP unless specially agreed prior to acceptance of order

### Returns

- It is our policy not to accept unauthorised returns (other than repairs or warranty claims)
- All requests for returns must be authorised by a representative of the company prior to return
- All returns which have been authorised (other than returns under guarantee), will be subject to a re-stocking charge of 15%. Where goods require re-packaging, prior to re-stocking the charge will be 25%. The application of this charge will be at the discretion of the company, based upon full and final inspection of the goods as received

### Warranty

- Goods accepted against warranty claims will be replaced by the same or an equivalent product, or repaired at the Company's discretion. Credit will not be given except for claims where an equivalent product is no longer available
- The Company reserves the right to accept, or reject all warranty returns, based upon full and final inspection of the goods as received by the Company, or a representative of the Company

## GUARANTEE

All Britool products are manufactured to the highest standards and guaranteed against defective materials and workmanship when used for the purpose for which they were designed. All registered trade marks are acknowledged. Prices do not include VAT.

### Guarantee Terms and Conditions

#### General Terms:-


- 1) All products are guaranteed to perform the task for which they were designed, providing they are used under normal working conditions
- 2) This guarantee is supplementary to the legal statutory guarantee
- 3) The guarantee is without time limit, except in cases of:
  - a) Fair wear and tear
  - b) Wilful damage or misuse
  - c) Negligence (inc. failure to adhere to instructions for use, or other recommendations made by the company)
  - d) Alterations and unauthorised repairs
  - e) Where products have a specified fixed period of guarantee, as indicated in the published price list, or in documentation supplied with the product.
  - f) Consumables, which are subject to the legal statutory guarantee only.
- 4) The guarantee offers a free of charge exchange, or repair, limited to defective parts only
- 5) Products no longer in the range will be replaced by an equivalent product, or refunded if there is no equivalent available, at the Company's discretion
- 6) The guarantee gives no right to damages for loss, or consequential loss, under any circumstances

#### Specific Terms (application of the guarantee):-

- a) Moving parts (eg. ratchet mechanisms) which are subject to wear and tear, have a fixed period of guarantee. Products containing moving parts will be replaced during the guarantee period only. Thereafter, a chargeable repair or reconditioned unit will be offered
- b) Electronic products, which have a fixed period of guarantee, will be replaced or repaired, at the Company's discretion, during the guarantee period only. Thereafter, a chargeable repair or reconditioned unit will be offered. The guarantee does not include upgrades to software based products
- c) Toolboxes and roller cabinets unless stated otherwise are subject to the legal statutory guarantee, and will have moving parts only repaired or replaced under the terms of the guarantee
- d) Products with valves, seals, "O" rings, etc. are subject to a specified fixed period guarantee, outside of which, standard repair charges will apply
- e) For products issued with a Certificate of Calibration, the maintenance of the accuracy of such calibration, is outside the scope of the guarantee
- f) All repairs and refurbished products have a guarantee of 3 months only, against parts and labour

#### Conditions of Sale:-

Your attention is drawn to our Conditions of Sale which are printed at the back of this price list



It is important to follow the Health and Safety warnings supplied with each product



## The Britool Guarantee

### General Terms

1. All products are guaranteed to perform the task for which they were designed, provided they are used under normal working conditions.
2. This guarantee is in addition to your statutory rights.
3. This guarantee is without time limit, except in cases of:
  - a. Fair wear and tear.
  - b. Wilful damage or misuse.
  - c. Negligence (including failure to adhere to instructions for use or other recommendations made by the Company).
  - d. Alterations and unauthorized repairs.
  - e. Where products have a specified fixed period of guarantee, as indicated in the published price list, or in documentation supplied with the product.
  - f. Consumables, which are subject to the legal statutory guarantee only.
4. The guarantee offers a free of charge exchange or repair, limited to defective parts only.
5. Products no longer in the range will be replaced by an equivalent product or refunded if there is no equivalent available, at the Company's discretion.
6. The guarantee gives no right to damages for loss, or consequential loss under any circumstances.

### Specific Terms Applicable To The Guarantee

1. Moving parts (eg ratchet mechanisms) which are subject to wear and tear have a fixed period of guarantee. Products containing moving parts will be replaced during the guarantee period only. Thereafter, a chargeable repair or reconditioned unit will be offered.
2. Electronic products, which have a fixed period of guarantee will be replaced or repaired at the company's discretion, during the guarantee period only. Thereafter a chargeable repair or reconditioned unit will be offered. The guarantee does not include upgrades to software based products.
3. Toolboxes, roller cabinets and workbenches, unless otherwise stated are subject to the statutory guarantee. Moving parts will only be replaced or repaired under the terms of the guarantee.
4. Products with valves, seals, O-rings, etc are subject to a specified fixed period guarantee, outside of which standard repair charges will apply.
5. For products issued with a Certificate of Calibration, the maintenance of the accuracy of such calibration is outside the scope of the guarantee.

